

# Banaras Hindu University

## Notations :

- 1.Options shown in green color and with ✓ icon are correct.
- 2.Options shown in red color and with ✗ icon are incorrect.

<b>Question Paper Name :</b>	637 16th Mar 2022 Shift 3
<b>Subject Name :</b>	637
<b>Creation Date :</b>	2022-03-16 19:31:02
<b>Duration :</b>	120
<b>Total Marks :</b>	300
<b>Display Marks:</b>	Yes
<b>Share Answer Key With Delivery Engine :</b>	Yes
<b>Actual Answer Key :</b>	Yes
<b>Calculator :</b>	None
<b>Magnifying Glass Required? :</b>	No
<b>Ruler Required? :</b>	No
<b>Eraser Required? :</b>	No
<b>Scratch Pad Required? :</b>	No
<b>Rough Sketch/Notepad Required? :</b>	No
<b>Protractor Required? :</b>	No
<b>Show Watermark on Console? :</b>	Yes
<b>Highlighter :</b>	No
<b>Auto Save on Console?</b>	No
<b>Change Font Color :</b>	No
<b>Change Background Color :</b>	No
<b>Change Theme :</b>	No
<b>Help Button :</b>	No
<b>Show Reports :</b>	No
<b>Show Progress Bar :</b>	No

## RET\_Dermatology & Venereology (Skin&VD)

Group Number :	1
Group Id :	593452153
Group Maximum Duration :	0
Group Minimum Duration :	120
Show Attended Group? :	No
Edit Attended Group? :	No
Break time :	0
Group Marks :	300
Is this Group for Examiner? :	No
Examiner permission :	Cant View
Show Progress Bar? :	No

## Research\_Methodology

Section Id :	593452301
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	40
Number of Questions to be attempted :	40
Section Marks :	120
Enable Mark as Answered Mark for Review and Clear Response :	Yes
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	593452329
Question Shuffling Allowed :	Yes

Question Number : 1 Question Id : 59345216848 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

What is a Research Design ?

शोध अभिकल्प क्या है ?

Options :

A way of conducting research that is not grounded in theory.

1. ✘ शोध संचालन का एक तरीका, जो सिद्धांत पर आधारित न हो।

The choice between using qualitative or quantitative methods.

2. ✘ गुणात्मक या परिमाणात्मक पद्धतियों के उपयोग के मध्य चुनाव।

The style in which you present your research findings e.g. a graph.

3. ✘ वह शैली जिसमें आप अपने शोध खोजों को प्रस्तुत करते हैं; जैसे - ग्राफ।

A framework for every stage of the collection and analysis of data.

4. ✔ आँकड़ों के संकलन और विश्लेषण के प्रत्येक स्तर के लिए एक ढाँचा।

**Question Number : 2 Question Id : 59345216849 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The study design of collecting data at a particular point of time is called :

किसी विशेष समय बिन्दु पर आँकड़े संग्रहण करने वाला अध्ययन अभिकल्प कहलाता है :

Options :

Cohort study

1. ✘ सहगण अध्ययन (कोहार्ट स्टडी)

Trend study

2. ✘ प्रवृत्ति अध्ययन

Cross sectional study

3. ✔ प्रतिनिध्यात्मक (समकालीन) अध्ययन

Longitudinal study

4. ✘ अनुदैर्घ्य (दीर्घकालिक) अध्ययन

**Question Number : 3 Question Id : 59345216850 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The value of middle position in a distribution of values is called :

मूल्यों के वितरण में मध्य स्थिति का मान कहलाता है :

Options :

Mean

1. ✘ माध्य

Median

2. ✔ माध्यिका



Mode

3. ✖ बहुलक

Mid-point

4. ✖ मध्य-बिन्दु

**Question Number : 4 Question Id : 59345216851 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

In order to pursue research, which of the following is priorly required ?

शोध को आगे बढ़ाने के लिए, निम्नलिखित में से किसकी पहले आवश्यकता होती है ?

**Options :**

Develop a research design

1. ✖ शोध अभिकल्प का विकास

Formulate research questions

2. ✔ शोध प्रश्नों का निर्माण

Deciding about the data analysis procedure

3. ✖ आंकड़ा विश्लेषण प्रक्रिया के बारे में निर्णय लेना

Formulating a research hypothesis

4. ✖ शोध परिकल्पना का निर्माण करना

**Question Number : 5 Question Id : 59345216852 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following is a basis of the quality of a research journal ?

निम्नलिखित में से किसी शोध पत्रिका की गुणवत्ता का आधार कौन है ?

**Options :**

Impact factor

1. ✓ प्रभाव गुण

h-index

2. ✘ एच-इंडेक्स

g-index

3. ✘ जी-इंडेक्स

i10-index

4. ✘ i10-इंडेक्स

**Question Number : 6 Question Id : 59345216853 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

If the population is heterogeneous, which one of the following probability sampling methods will be suitable ?

यदि जनसंख्या विजातीय है, तो निम्नलिखित में से कौन-सी सम्भाव्यता प्रतिदर्श विधि अधिक उपयुक्त होगी ?

Options :

- 1. ✘ Sequential sampling  
क्रमानुसार प्रतिचयन
- 2. ✘ Quota sampling  
कोटा प्रतिचयन
- 3. ✘ Double sampling  
दोहरा प्रतिचयन
- 4. ✔ Stratified sampling  
स्तरीकृत प्रतिचयन

Question Number : 7 Question Id : 59345216854 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Manipulation is a part of :

प्रहस्तन ..... का एक हिस्सा है।

Options :

- 1. ✘ Historical research  
ऐतिहासिक शोध

- Fundamental research  
2. ✖ मौलिक शोध
- Descriptive research  
3. ✖ वर्णनात्मक शोध
- Experimental research  
4. ✔ प्रायोगिक शोध

**Question Number : 8 Question Id : 59345216855 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

p-value stands for :

पी-मूल्य से तात्पर्य है :

**Options :**

- Probability value  
1. ✔ सम्भाव्य मूल्य
- Preference value  
2. ✖ वरीयता मूल्य
- Pre-determined value  
3. ✖ पूर्व-निर्धारित मूल्य

Prescribed value

4. ✖ नियत मूल्य

**Question Number : 9 Question Id : 59345216856 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

$R^2$  is known as the :

$R^2$  को ..... के रूप में जाना जाता है।

Options :

Coefficient of determination

1. ✔ निर्धारण का गुणांक

Multiple correlation coefficient

2. ✖ बहु-सहसम्बन्ध गुणांक

Partial correlation coefficient

3. ✖ आंशिक सहसम्बन्ध गुणांक

Semi-partial correlation coefficient

4. ✖ अर्ध-आंशिक सहसम्बन्ध गुणांक

**Question Number : 10 Question Id : 59345216857 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Rejection of null hypothesis, when it is true, leads to :

शून्य परिकल्पना अस्वीकृत हो जाये जबकि यह सत्य है ..... को इंगित करती है।

Options :

Sampling Error

1. ✖ प्रतिचयन त्रुटि

Type II Error

2. ✖ टाइप II त्रुटि

Type I Error

3. ✔ टाइप I त्रुटि

Estimation Error

4. ✖ अनुमान त्रुटि

Question Number : 11 Question Id : 59345216858 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is first stage in Grounded Theory data analysis :

निम्नलिखित में से ग्राउंडेड थ्योरी के आँकड़ा विश्लेषण का प्रथम चरण कौन-सा होता है ?

Options :

Examination

1. ✘ परीक्षण

Open coding

2. ✔ खुली कूट संकेतन

Retardation

3. ✘ अवरोध

Comparison

4. ✘ तुलना

**Question Number : 12 Question Id : 59345216859 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The area of the rejection region for a two-tailed test in comparison with area of the one-tailed test for the same level of significance will be :

सार्थकता के समान स्तर के लिए एक-पुच्छीय परीक्षण के अस्वीकृति क्षेत्र की तुलना में द्वि-पुच्छीय परीक्षण का क्षेत्र :

**Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.**

Options :

Smaller

1. छोटा होगा

- Same
2. समान होगा
- Larger
3. बड़ा होगा
- One-fourth
4. एक चौथाई होगा

**Question Number : 13 Question Id : 59345216860 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Basic research is :

मौलिक शोध होता है :

Options :

- Practical and descriptive
1. ✖ व्यावहारिक और वर्णनात्मक
- Client-driven
2. ✖ ग्राहक-प्रेरित
- Expands current knowledge
3. ✔ वर्तमान ज्ञान का विस्तार करने वाला
- Advancement of technology
4. ✖ प्रौद्योगिकी में उन्नति लाने वाला



**Question Number : 14 Question Id : 59345216861 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The technique in which an individual is presented with a stimulus and asked to respond with the first thing that comes to mind is known as :

वह तकनीक जिसमें व्यक्ति के सामने एक उत्तेजना प्रस्तुत की जाती है और पहली बात जो दिमाग में आती है, उसका जवाब देने के लिए कहा जाता है, को जाना जाता है :

**Options :**

Completion techniques

1. ✘ पूर्ति तकनीक

Focus groups

2. ✘ केंद्रित समूह

Association techniques

3. ✔ साहचर्य तकनीक

In depth interviews

4. ✘ गहन साक्षात्कार

**Question Number : 15 Question Id : 59345216862 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

An Independent variable is defined as :

एक स्वतंत्र चर को परिभाषित किया जाता है :

Options :

- Change variable
- 1. ✓ परिवर्तनशील चर
- Confounding variable
- 2. ✘ भ्रमित चर
- Extraneous variable
- 3. ✘ वाह्य चर
- Outcome variable
- 4. ✘ परिणाम चर

Question Number : 16 Question Id : 59345216863 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one of the following statements is *false* for Research ?

निम्नलिखित में से कौन-सा कथन अनुसंधान के लिए *गलत* है ?

Options :

- Research design is a logical and systematic plan for a research study
- 1. ✘ अनुसंधान अभिकल्प शोध अध्ययन के लिए एक तार्किक और व्यवस्थित योजना है

Applied research is conducted to solve theoretical problems

2. ✓ सैद्धान्तिक समस्याओं को हल करने के लिए व्यावहारिक अनुसंधान किया जाता है

The basic research is also called as fundamental research

3. ✘ मूल शोध को मौलिक शोध भी कहा जाता है

A hypothesis is a statement that is tested for its validity

4. ✘ परिकल्पना एक कथन है जिसकी वैधता का परीक्षण किया जाता है

**Question Number : 17 Question Id : 59345216864 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A researcher has administered some drug for management of diabetes for 4 weeks in a group and measured pre and post data for blood glucose level. Which statistical tool will be used to analyze data ?

एक शोधकर्ता ने एक समूह में 4 सप्ताह के लिए मधुमेह के प्रबंधन के लिए कुछ दवा दी है और रक्त शर्करा के पूर्व और बाद के स्तरों का मापन किया। प्राप्त आँकड़ों के विश्लेषण के लिए किस सांख्यिकीय विधि का उपयोग किया जाएगा ?

**Options :**

Paired 't' test

1. ✓ युग्मित टी-परीक्षण

Independent t-test

2. ✘ स्वतंत्र टी-परीक्षण

ANOVA test

3. ✖ एनोवा परीक्षण

Chi-square test

4. ✖ काई-वर्ग परीक्षण

**Question Number : 18 Question Id : 59345216865 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following is a qualitative variable ?

निम्न में से कौन एक गुणात्मक चर है ?

Options :

Colour of hair

1. ✔ बालों का रंग

Body weight

2. ✖ शारीरिक भार

Body height

3. ✖ शारीरिक ऊँचाई

Percentage of haemoglobin

4. ✖ हीमोग्लोबिन का प्रतिशत

**Question Number : 19 Question Id : 59345216866 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A researcher should consider which of the following to prepare good research proposal ?

एक शोधकर्ता को अच्छा शोध प्रस्ताव तैयार करने के लिए निम्नलिखित में से किस पर विचार करना चाहिए ?

- (a) Research question should be novel  
शोध प्रश्न नवीन होना चाहिए
- (b) Research protocol should be ethical and relevant  
अनुसंधान प्रोटोकॉल नैतिक और प्रासंगिक होना चाहिए
- (c) Research question should be interesting and feasible  
शोध प्रश्न दिलचस्प और व्यवहार्य होना चाहिए
- (d) Researcher should consider only his/her own interest and benefit  
शोधकर्ता को केवल अपनी स्वयं की रुचि एवम लाभ पर विचार करना चाहिए

Options :

- a & d are correct
- 1. ✘ a और d सही हैं
- c & d are incorrect
- 2. ✘ c और d गलत हैं
- a, c & d are correct
- 3. ✘ a, c और d सही हैं

a, b & c are correct

4. ✓ a, b और c सही हैं

**Question Number : 20 Question Id : 59345216867 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Why reviewing the existing literature is needed ?

मौजूदा साहित्य की समीक्षा करने की आवश्यकता क्यों है ?

Options :

It does not provide references

1. ✘ यह संदर्भों को प्रदान नहीं करता

It does not provide required word-count

2. ✘ आवश्यक शब्द-गणना नहीं देता

To find out what is already known about area of interest

3. ✓ यह जानने के लिए कि रुचि के क्षेत्र के बारे में पहले से क्या ज्ञात है

To help in non-related disciplines

4. ✘ असम्बन्धित विषयों में सहयोग करने के लिए

**Question Number : 21 Question Id : 59345216868 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which one is called non-probability sampling ?

किसे असंभाव्यता प्रतिचयन कहा जाता है ?

Options :

Quota sampling

1. ✓ कोटा प्रतिचयन

Cluster sampling

2. ✘ गुच्छ प्रतिचयन

Systematic sampling

3. ✘ व्यवस्थित प्रतिचयन

Stratified random sampling

4. ✘ स्तरीकृत यादृच्छिक प्रतिचयन

**Question Number : 22 Question Id : 59345216869 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Random error can be effectively handled by :

यादृच्छिक त्रुटि को ..... द्वारा प्रभावी ढंग से नियंत्रित किया जा सकता है।

Options :

Adequate sample size

1. ✓ उपयुक्त नमूना आकार



Randomisation

2. ✖ यादृच्छीकरण

Blinding

3. ✖ अंधकरण

Representativeness

4. ✖ प्रतिनिधित्व

Question Number : 23 Question Id : 59345216870 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The *correct* definition of h index is :

एच-इंडेक्स की *सही* परिभाषा है :

Options :

Largest number h such that h publications have at least h citations

1. ✔ सबसे बड़ी संख्या h जैसे कि h प्रकाशनों में कम से कम h उद्धरण हों

Lowest number h such that h publications have at least h citations

2. ✖ सबसे कम संख्या h जैसे कि h प्रकाशनों में कम से कम h उद्धरण हों

Total number of citations divided by the total number of publications

3. ✖ उद्धरणों की कुल संख्या को प्रकाशन की कुल संख्या से विभाजित करने पर



Another name for impact factor

4. ✘ प्रभाव कारक का दूसरा नाम

Question Number : 24 Question Id : 59345216871 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is *not* a reference management tool ?

निम्नलिखित में से कौन संदर्भ प्रबंधन उपकरण *नहीं* है ?

Options :

EndNote

1. ✘ एण्डनोट

Zotero

2. ✘ ज़ोटेरो

Mendeley

3. ✘ मेंडले

Scopus

4. ✔ स्कोपस

Question Number : 25 Question Id : 59345216872 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Mean, Median and Mode are :  
माध्य, माध्यिका और बहुलक हैं :

Options :

Measures of dispersion

1. ✖ प्रसरण का मापन

Measures of central tendency

2. ✔ केंद्रीय प्रवृत्ति का मापन

Measures of probability

3. ✖ संभाव्यता का मापन

Sampling methods

4. ✖ प्रतिचयन विधि

**Question Number : 26 Question Id : 59345216873 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

What is the appropriate measure of dispersion to report when median is reported as the measure of central tendency for a given set of data ?

रिपोर्ट करने के लिए विचलन का उपयुक्त उपाय क्या है जब माध्यिका को आँकड़ों के एक समूह के लिए केंद्रीय प्रवृत्ति के मापन के रूप में प्रयुक्त किया जाता है ?

Options :

Standard deviation

1. ✖ मानक विचलन

Interquartile range

2. ✓ अंतश्चतुर्थक विस्तार

Variance

3. ✗ विचरण

Coefficient of variance

4. ✗ विचरण का गुणांक

**Question Number : 27 Question Id : 59345216874 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Open ended group discussion that promotes discussion among participants is called .....

विवृतांग (ओपन एंडेड ग्रुप) चर्चा जो प्रतिभागियों के बीच परिचर्चा को बढ़ावा देते हैं, कहलाते हैं .....

**Options :**

In-depth discussion

1. ✗ गहन चर्चा

Focus group discussions

2. ✓ फोकस ग्रुप चर्चा

Participant observation

3. ✖ प्रतिभागी अवलोकन

Structured interviews

4. ✖ संरचित साक्षात्कार

**Question Number : 28 Question Id : 59345216875 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The ability of a tool to correctly measure what it is supposed to measure is called as :

किसी उपकरण/साधन की 'जिस उद्देश्य के मापन के लिए प्रयोग हो रहा है उसे सही-सही मापने की क्षमता' कहलाती है :

**Options :**

Validity

1. ✔ वैधता

Reliability

2. ✖ विश्वसनीयता

Consistency

3. ✖ संगति

Accuracy

4. ✖ सटीकता

**Question Number : 29 Question Id : 59345216876 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

In an experimental study of the effects of time spent on studying on grade, time spent studying would be the :

ग्रेड पर अध्ययन में व्यतीत समय के प्रभावों के एक प्रायोगिक अध्ययन में, अध्ययन में बिताया गया समय होगा :

**Options :**

- Control group
- 1. ✘ नियंत्रण समूह
- Independent variable
- 2. ✔ स्वतंत्र चर
- Experimental group
- 3. ✘ प्रायोगिक समूह
- Dependent variable
- 4. ✘ आश्रित चर

**Question Number : 30 Question Id : 59345216877 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A reasoning where we start with certain particular statements and conclude with a universal statement is called :

एक तर्क जहाँ हम कुछ विशिष्ट कथनों से शुरू करते हैं और एक सार्वभौमिक कथन के साथ निष्कर्ष निकालते हैं, कहलाता है :

Options :

Deductive Reasoning

1. ✘ निगमनात्मक तर्क

Inductive Reasoning

2. ✔ आगमनात्मक तर्क

Abnormal Reasoning

3. ✘ असामान्य तर्क

Transcendental Reasoning

4. ✘ प्राशनुभविक तर्क

Question Number : 31 Question Id : 59345216878 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If a distribution is described as platykurtic, then it is :

यदि किसी वितरण को प्लेटिक्यूरटिक (सपाटक कुर्दी) के रूप में वर्णित किया जाता है, तो वह है :

Options :

Peaked

1. ✘ चोटीदार

- Flat
2. ✓ सपाट
- Bimodal
3. ✘ द्विबाहुलकी
- Thin
4. ✘ पतला

**Question Number : 32 Question Id : 59345216879 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

In a statistical table the row headings are referred to as :

एक सांख्यिकीय तालिका में, पंक्ति शीर्षकों को कहा जाता है :

**Options :**

- Source note
1. ✘ स्रोत नोट
- Captions
2. ✘ कैप्शन (अनुशीर्षक)
- Stubs
3. ✓ स्टब्स (टूठ)

Body

4. ✖ शरीर

**Question Number : 33 Question Id : 59345216880 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following techniques are used to control extraneous variables in research ?

अनुसंधान में बाह्य चरों को नियंत्रित करने के लिए निम्नलिखित में से किस तकनीक का उपयोग किया जाता है ?

Options :

Change of instrument

1. ✖ साधन का परिवर्तन

Randomization

2. ✔ यादृच्छीकरण

Change the research method

3. ✖ अनुसंधान विधियों में परिवर्तन

Parameterization

4. ✖ पैरामीट्रिजेशन (प्राचलीकरण)

**Question Number : 34 Question Id : 59345216881 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**



**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following is the information and library network under UGC ?

यूजीसी के तहत निम्नलिखित में से कौन-सा सूचना और पुस्तकालय नेटवर्क है ?

**Options :**

INFLIBNET

1. ✓ इनफिलिबनेट

NISCAIR

2. ✗ निस्केयर

Association of Indian Universities

3. ✗ भारतीय विश्वविद्यालयों का संघ

NAAC

4. ✗ नैक

**Question Number : 35 Question Id : 59345216882 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A research tool consisting of a series of questions is known as :

प्रश्नों की एक शृंखला से युक्त एक शोध उपकरण को कहा जाता है :

**Options :**

Observation schedule

1. ✗ अवलोकन अनुसूची

Interview schedule

2. ✘ साक्षात्कार अनुसूची

Questionnaire

3. ✔ प्रश्नावली

Psychological test

4. ✘ मनोवैज्ञानिक परीक्षण

**Question Number : 36 Question Id : 59345216883 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator :  
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On  
Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

What does a good thesis involve ?

एक अच्छी थीसिस में क्या सम्मिलित होता है ?

- (a) Reducing punctuations as well as grammatical errors to minimal level.  
विराम-चिन्हों तथा व्याकरण अशुद्धियों को अल्पतम स्तर तक कम करना।
- (b) Correct reference citation.  
समुचित सन्दर्भ उद्धरण।
- (c) Consistency in the way of thesis writing.  
थीसिस लेखन के तरीके में सुसंगति।
- (d) All of the three  
तीनों में सभी

Choose the *correct* answer from the codes given below :

नीचे दिये गये कूट में से *सही* उत्तर चुनें :

*Codes :*

*कूट :*

**Options :**

a, b, c and d

1. ✓ a, b, c तथा d

a, c and d

2. ✗ a, c तथा d

a, b and c

3. ✓ a, b तथा c

c, b and d

4. ✘ c, b तथा d

**Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.**

**Question Number : 37 Question Id : 59345216884 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The difference between the expected value of a sample statistic and the estimated value of parameter is called :

नमूना आंकड़ों के अपेक्षित मूल्य और प्राचल के अनुमानित मूल्य के बीच के अन्तर को कहा जाता है :

**Options :**

Error

1. ✘ त्रुटि

Bias

2. ✔ पूर्वाग्रह

Contradiction

3. ✘ विरोधाभास

Difference

4. ✘ अंतर

**Question Number : 38 Question Id : 59345216885 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Among the following, widely used method for extracting factors is :

निम्नलिखित में से, कारकों को निकालने के लिए व्यापक रूप से इस्तेमाल की जाने वाली विधि है :

**Options :**

Path analysis

1. ✘ पथ विश्लेषण

Discriminant analysis

2. ✘ विभेदक विश्लेषण

Group analysis

3. ✘ समूह विश्लेषण

Principle component analysis

4. ✔ प्रमुख-घटक विश्लेषण


**Question Number : 39 Question Id : 59345216886 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Study the following given graph and answer the question :

निम्नलिखित ग्राफ का अध्ययन कीजिए तथा प्रश्न का उत्तर दीजिए :



What was the price difference between commodity A and B in the month of April ?

अप्रैल के महीने में सामग्री A और B के बीच मूल्य का अन्तर क्या था ?

Options :

1. ✘ 250
2. ✔ 150
3. ✘ 100
4. ✘ 90


Question Number : 40 Question Id : 59345216887 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Study the following given graph and answer the question :

निम्नलिखित ग्राफ का अध्ययन कीजिए तथा प्रश्न का उत्तर दीजिए :



What was the difference in average price between commodity A and B from April to August ?

अप्रैल से अगस्त तक सामग्री A और B के औसत मूल्य में कितना अन्तर था ?

Options :

1. ✘ 90

2. ✘ 86

3. ✘ 95

4. ✔ 75

## Subject\_&\_Area Concerned

Section Id :	593452302
Section Number :	2
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	60
Number of Questions to be attempted :	60
Section Marks :	180
Enable Mark as Answered Mark for Review and Clear Response :	Yes
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	593452330
Question Shuffling Allowed :	Yes

**Question Number : 41 Question Id : 59345216888 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The risk of *Molluscum contagiosum* infection is profoundly increased in all of the following conditions *except* :

Options :

1. ✘ sarcoidosis
2. ✘ HIV
3. ✔ organ transplantation
4. ✘ DOCK8 deficiency



**Question Number : 42 Question Id : 59345216889 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following describes tincture ?

Options :

1. ✘ Oil in water
2. ✘ Water in oil
3. ✔ Alcohol based
4. ✘ Powder in ointment

**Question Number : 43 Question Id : 59345216890 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following lesions demonstrate a pseudo- Darier's sign ?

Options :

1. ✘ Mastocytoma
2. ✘ Spitz nevus

3. ✓ Smooth muscle hamartoma

4. ✘ Bullous pemphigoid

**Question Number : 44 Question Id : 59345216891 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

In acute telogen effluvium, the functional mechanism of hair shedding is :

Options :

1. ✘ immediate telogen release

2. ✘ delayed anagen release

3. ✓ immediate anagen release

4. ✘ delayed anagen release

**Question Number : 45 Question Id : 59345216892 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A 40-year-old man was admitted for progressive subcutaneous induration involving the right side of his trunk. On examination, there were indurated and deeply tethered plaques with a peau d orange appearance. His laboratory investigations revealed gross peripheral eosinophilia with raised ESR. The sign related to this disorder is :

Options :

1. ✘ Button hole sign
2. ✔ Groove sign
3. ✘ Barnett's sign
4. ✘ Crowe's sign

**Question Number : 46 Question Id : 59345216893 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A middle aged female presented with multiple periorbital skin coloured lesions, some of them appear blue. Patient also complained of enlargement of lesions during heat exposure, what is the probable diagnosis ?

Options :

1. ✘ Apocrine cystadenoma
2. ✘ Apocrine hidrocystoma
3. ✘ Basal cell carcinoma

4. ✓ Eccrine hidrocystoma

**Question Number : 47 Question Id : 59345216894 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Drug most commonly associated with acanthosis nigricans ?

Options :

1. ✘ OCP
2. ✘ anabolic steroids
3. ✘ systemic steroids
4. ✓ nicotinic acid

**Question Number : 48 Question Id : 59345216895 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

10 year old boy presented with high grade fever associated with chest pain, myalgia, arthralgia and skin rash for 2 weeks. Examination revealed periorbital edema and migratory patches and plaques expanding centrifugally. Bacterial and viral studies were negative. He had similar attacks in the past. Diagnosis ?

Options :

1. ✘ Cutaneous mastocytosis
2. ✘ Childhood Stills disease
3. ✘ Kawasaki disease
4. ✔ TNF related periodic fever

**Question Number : 49 Question Id : 59345216896 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

All the following proteins belongs to plakin family *except* :

**Options :**

1. ✔ Plakophilin
2. ✘ Desmoplakin
3. ✘ Periplakin
4. ✘ BP Antigen 1

**Question Number : 50 Question Id : 59345216897 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

IgA Monoclonal gammopathy is associated with which subtype of IgA Pemphigus ?

Options :

1. ✓ SCPD Subtype
2. ✗ IEN subtype
3. ✗ P. vegetans subtype
4. ✗ P. vulgaris subtype

**Question Number : 51 Question Id : 59345216898 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Brochiolitis Obliterans is associated with :

Options :

1. ✗ Envoplakin
2. ✗ Desmoplakin
3. ✓ Epiplakin
4. ✗ Periplakin

**Question Number : 52 Question Id : 59345216899 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator :**

**None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

In which condition, DIF shows 'u' serrated pattern along epidermal basement membrane zone ?

**Options :**

1. ✘ Bullous pemphigoid
2. ✘ Mucous membrane pemphigoid
3. ✔ Epidermolysis bullosa acquisita
4. ✘ Anti p-200 pemphigoid

**Question Number : 53 Question Id : 59345216900 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

When did Rituximab received FDA approval for use in pemphigus ?

**Options :**

1. ✔ June 2018
2. ✘ June 2019
3. ✘ Jan 2017

4. ✖ Jan 2016

**Question Number : 54 Question Id : 59345216901 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

What is the dose of azathioprine for a TPMT level of 6 ?

Options :

1. ✖ 0.5 mg/kg

2. ✖ 2.5 mg/kg

3. ✖ 1 mg/kg

4. ✔ 0 mg/kg

**Question Number : 55 Question Id : 59345216902 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Remission in pemphigus vulgaris is defined as absence of lesions for a minimum period of :

Options :

1. ✖ 2 weeks



2. ✘ 3 weeks
3. ✔ 2 months
4. ✘ 3 months

**Question Number : 56 Question Id : 59345216903 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Brunsting-Perry pemphigoid is characterized by all the following except :

Options :

1. ✘ Localized to scalp and face
2. ✘ Heals with scarring
3. ✔ Severe, recalcitrant mucositis
4. ✘ Antibodies to type VII collagen

**Question Number : 57 Question Id : 59345216904 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Anti-p200 pemphigoid is characterized by all of the following *except* :

**Options :**

1. ✘ Bullous pemphigoid like clinical presentation
2. ✘ Subepidermal blister containing neutrophils
3. ✘ Linear deposition of IgG along the basement membrane zone (BMZ) on direct immunofluorescence microscopy
4. ✔ Band localizing to the epidermal side on the salt split skin

**Question Number : 58 Question Id : 59345216905 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A 38-year-old G3P2 at 28 weeks gestation presents with blisters on the abdomen. She reports they started near the umbilicus. She had a similar rash during her last pregnancy, which resolved after delivery. On exam, tense bullae are found on the abdomen, but no oral lesions are noted. Autoantibodies in this disease process target which antigen ?

**Options :**

1. ✔ Collagen XVII
2. ✘ Collagen VI
3. ✘ BP 230

#### 4. ✖ Plectin

**Question Number : 59 Question Id : 59345216906 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A 65-year-old man has a history of stable chronic plaque psoriasis. He presents with an exacerbation of psoriasis, extending to new sites and causing more itching than usual. Six weeks ago, several medications were started, but which was the likely cause of the increased symptoms ?

**Options :**

1. ✖ Losartan
2. ✔ Metoprolol
3. ✖ Furosemide
4. ✖ Aspirin

**Question Number : 60 Question Id : 59345216907 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

First FDA approved biological agent used for treatment of psoriasis ?

**Options :**

1. ✓ Alefacept
2. ✘ Efalizumab
3. ✘ Adalimumab
4. ✘ Abatacept

**Question Number : 61 Question Id : 59345216908 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Mechanism of action of methotrexate in psoriasis ?

**Options :**

1. ✘ Antiproliferative
2. ✘ Anti-inflammatory
3. ✘ DHFR inhibition
4. ✓ All of the three

**Question Number : 62 Question Id : 59345216909 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On**

**Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Polymorphism in genes associated with methotrexate induced toxicity in patients of psoriasis ?

**Options :**

1. ✘ SLC19A1
2. ✘ ABCC1
3. ✘ MTHFR1
4. ✔ SLC19A1 and ABCC1

**Question Number : 63 Question Id : 59345216910 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator :**

**None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On**

**Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Biological agent acting against p19-subunit of IL-23 ?

**Options :**

1. ✘ Ustekinumab
2. ✘ Tildrakizumab
3. ✘ Risankizumab

4. ✓ Mirikizumab

**Question Number : 64 Question Id : 59345216911 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Nail bed changes suggestive of psoriasis ?

**Options :**

1. ✘ Nail pitting

2. ✘ Elkonyxis

3. ✘ Leukonychia

4. ✓ Splinter hemorrhages

**Question Number : 65 Question Id : 59345216912 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

50 year old male known case of myasthenia gravis presented with erythema, shallow erosions, few blisters and scales. Immune-pathology showed deposition on keratinocytes and autoantibodies against Dsg1 Diagnosis ?

**Options :**

1. ✘ Pemphigus vulgaris

2. ✘ Dermatitis herpatiformis
3. ✘ Bullous pemphigoid
4. ✔ Pemphigus foliaceus

**Question Number : 66 Question Id : 59345216913 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A 42 year old male presents with complaints of bloating and diarrhea consisting of smelly stools in addition to a significant weight loss. He also complains of itching and discoloration of extensor surfaces. Which of the following will help in the diagnosis ?

Options :

1. ✘ Nikolsky sign
2. ✘ Examination of the affected skin under a microscope
3. ✘ Identification of characteristic burrows on examination
4. ✔ Skin biopsy showing granular IgA deposit in the dermal papillae of itchy skin

**Question Number : 67 Question Id : 59345216914 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following is false regarding unstable psoriasis ?

**Options :**

1. ✘ Enlargement of plaques that can become more intensely erythematous
2. ✘ Koebner phenomenon is more frequent
3. ✘ Seen in withdrawal of systemic corticosteroids
4. ✔ Decrease serum level of IL-17 and IL-1

**Question Number : 68 Question Id : 59345216915 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Drug approved recently in 2019 as 2nd line treatment for refractory oral ulcers in malignant aphthosis in adult patient is :

**Options :**

1. ✘ Thalidomide
2. ✔ Apremilast
3. ✘ Azathioprine
4. ✘ Colchicine



**Question Number : 69 Question Id : 59345216916 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which new oral JAK inhibitor approved for moderate to severe atopic dermatitis in adults and children > 12 yrs in 2022 :

**Options :**

1. ✘ Tofacitinib
2. ✔ Upadacitinib
3. ✘ Dupilumab
4. ✘ Ruxolitinib

**Question Number : 70 Question Id : 59345216917 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which micronutrient deficiency associated with HIV disease progression and increase risk of mortality ?

**Options :**

1. ✘ Iron

2. ✘ Copper

3. ✔ Vitamin A

4. ✘ Zinc

**Question Number : 71 Question Id : 59345216918 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which bacterial STI shows characteristic histopathology of 3 zones with superficial zone of necrosis and PMNs, middle zone of vascular changes and deep zones of ill defined granuloma :

**Options :**

1. ✔ Chancroid

2. ✘ Condyloma lata

3. ✘ Condyloma acuminatum

4. ✘ Granuloma inguinale

**Question Number : 72 Question Id : 59345216919 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Urbach-Wiethe disease caused by mutation of :

Options :

1. ✘ ABC gene
2. ✔ ECM-1
3. ✘ COL5A1
4. ✘ FIBRILLIN

**Question Number : 73 Question Id : 59345216920 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which targeted therapeutic agent used in treatment of melanoma can produce vitiligo as side effect :

Options :

1. ✔ Nivolumab
2. ✘ Ipilimumab
3. ✘ Trametinib
4. ✘ Vemurafenib

**Question Number : 74 Question Id : 59345216921 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator :**

**None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Preservation of elastic fibres in the perifollicular and interfollicular dermis is seen in which scarring alopecia ?

Options :

1. ✓ Idiopathic pseudopelade of Brocq
2. ✗ LPP
3. ✗ CCLE
4. ✗ Frontal fibrosing alopecia

**Question Number : 75 Question Id : 59345216922 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Multiple milia are one of presenting symptoms in all of genodermatoses *except* :

Options :

1. ✗ Brooke -Spiegler syndrome
2. ✗ Pachyonychia congenita type 2
3. ✗ Basal cell nevus syndrome

4. ✓ Muir-Torre syndrome

**Question Number : 76 Question Id : 59345216923 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A 6 yr old child presented with recurrent bouts of fever, anhidrosis, loss of temperature and pain, with multiple self-inflicting injuries and learning difficulties. There was no similar family History Diagnosis ?

Options :

1. ✘ Hereditary sensory and autonomic neuropathy type 1
2. ✓ Hereditary sensory and autonomic neuropathy type 4
3. ✘ Hereditary sensory and autonomic neuropathy type 3
4. ✘ Congenital insensitivity to pain

**Question Number : 77 Question Id : 59345216924 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

All are correct for xanthelasma palpebrarum *except* :

Options :

1. ✘ Most common type of xanthoma
2. ✘ Almost 50% pts are normolipidemic
3. ✘ Type 2a hyperlipidemic phenotype is most prevalent in them

Histologically characterized as foamy histiocytes with occasional Touton giant cells

4. ✔ and fibrosis in deep dermis

**Question Number : 78 Question Id : 59345216925 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following statement is true ?

**Options :**

1. ✘ The terms blushing and flushing can be used inter-changeably.
2. ✘ Pale islands are present in flushing.
3. ✔ Flushing can be caused by both physiological and pathophysiological causes.
4. ✘ All of the three

**Question Number : 79 Question Id : 59345216926 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On**

**Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following is false regarding Pyoderma Faciale-O'Leary ?

**Options :**

1. ✘ It is a common type of rosacea with acute/subacute onset.
2. ✘ Most common in pre-pubertal females.
3. ✘ Not associated with pregnancy and lactation.
4. ✔ All of the three

**Question Number : 80 Question Id : 59345216927 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following is true regarding acne vulgaris ?

**Options :**

1. ✘ Acne is more common in females than males in adults.
2. ✘ Neonates with acne do not have comedones.
3. ✘ The age of onset of acne is dropping.
4. ✔ All of the three

**Question Number : 81 Question Id : 59345216928 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following is true regarding drug induced acne ?

**Options :**

1. ✓ Corticosteroid induced acneiform eruption occur regardless of route of administration.
2. ✘ Vitamin B12 induced acne occur exclusively in males.
3. ✘ Occurrence of acneiform eruption due to EGFRi is a marker of poor response to the drug therapy.
4. ✘ None of the three

**Question Number : 82 Question Id : 59345216929 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following is true regarding the etio-pathogenesis of acne ?

**Options :**

1. ✘ Levels of linoleic acid are increased in patients with acne.



2. ✓ All clinical lesions begins with microcomedones.

3. ✘ The dose of estrogen required to suppress ovulation is greater than the dose required to suppress sebum production.

4. ✘ All of the three

**Question Number : 83 Question Id : 59345216930 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following has the highest efficacy among the following ?

**Options :**

1. ✓ Tazarotene

2. ✘ Benzoyl peroxide

3. ✘ Tretinoin

4. ✘ Azelaic acid

**Question Number : 84 Question Id : 59345216931 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following is a part of follicular occlusion triad ?

Options :

1. ✘ Pilonidal sinus
2. ✘ Acne fulminans
3. ✔ Dissecting cellulitis of scalp
4. ✘ All of the three

**Question Number : 85 Question Id : 59345216932 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Neurotic excoriation is which type of psychodermatologic disorder :

Options :

1. ✘ Psychophysiologic skin disorder
2. ✔ Primary psychiatric skin disorder
3. ✘ Secondary psychiatric skin disorder
4. ✘ Cutaneous sensory disorder

**Question Number : 86 Question Id : 59345216933 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On**

Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following statements is false regarding Morgellons disease :

Options :

1. ✓ A butterfly sign is present

2. ✗ Absent to low level of insight

3. ✗ Early intervention increases the probability of achieving remission following treatment.

4. ✗ Hollow history is a not feature of this disease

Question Number : 87 Question Id : 59345216934 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A young female patient came with irregular non-scarring alopecia. On examination, hairs are broken at different lengths on the scalp, and some excoriation marks are also seen.

Which of the following is *not* true regarding her condition :

Options :

1. ✓ It is an impulse disorder.

2. ✗ Flame hairs and V-sign will be seen on dermoscopy

3. ✗ Most effective treatment modality is non-pharmacological

4. ✘ All of the three

**Question Number : 88 Question Id : 59345216935 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

In mixed connective tissue disease, which of the following pattern for nuclear staining is found :

Options :

1. ✘ Homogenous pattern

2. ✔ Speckled pattern

3. ✘ Nucleolar pattern

4. ✘ None of the three

**Question Number : 89 Question Id : 59345216936 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

In systemic sclerosis, weight loss is due to all of the following except :

Options :

1. ✘ Reduced appetite

2. ✘ Dysphagia
3. ✘ Post prandial bloating
4. ✔ Weakness of pharyngeal muscles

**Question Number : 90 Question Id : 59345216937 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A 54 years old male presented with thickening of skin of extremities proximal to knees and biphasic color change of fingers. Nail fold capillaroscopy showed capillary dropouts and dilated capillaries. Most common cause of disease related death is :

**Options :**

1. ✘ Dysphagia
2. ✘ Cardiac arrhythmia
3. ✘ Scleroderma renal crises
4. ✔ Interstitial lung disease

**Question Number : 91 Question Id : 59345216938 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Neutrophilic dermatosis includes :

Options :

1. ✘ BADAS
2. ✘ PNGD
3. ✘ PG
4. ✔ All of the three

**Question Number : 92 Question Id : 59345216939 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A 40-year-old female patient presented with multiple painful erythematous edematous papules and plaques with pseudo-vesicular appearance along with fever, myalgia, arthralgia for 4 days. Most common drug associated with this clinical presentation.

Options :

1. ✘ NSAIDS
2. ✘ Chloroquine
3. ✔ G-CSF

#### 4. ✘ Retinoids

**Question Number : 93 Question Id : 59345216940 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Diagnostic criteria for classic pyoderma gangrenosum ?

Options :

1. ✘ PARACELSUS criteria
2. ✘ Delphi consensus
3. ✘ Criteria proposed by Su et al.
4. ✔ All of the three

**Question Number : 94 Question Id : 59345216941 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Least common systemic disease associated with pyoderma gangrenosum ?

Options :

1. ✘ Arthritis

2. ✘ IBD
3. ✘ Hematological malignancy
4. ✔ Solid organ malignancy

**Question Number : 95 Question Id : 59345216942 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Evidence based treatment of pyoderma gangrenosum with level of evidence 1B ?

Options :

1. ✘ Prednisone
2. ✘ Cyclosporine
3. ✘ Infliximab
4. ✔ All of the three

**Question Number : 96 Question Id : 59345216943 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question



Among the most common underlying disorders of pediatric PG, which one have the lowest and highest average age of onset ?

Options :

1. ✓ Hemopathies and IBD
2. ✘ Hemopathies and PASH
3. ✘ PASH and immune deficiencies
4. ✘ IBD and PASH

**Question Number : 97 Question Id : 59345216944 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Most common hematological malignancies associated with PG ?

Options :

1. ✘ AML
2. ✘ MGUS
3. ✓ MDS
4. ✘ NHL

**Question Number : 98 Question Id : 59345216945 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Genetic predispositions associated with neutrophilic dermatosis ?

Options :

1. ✘ HLA-B54
2. ✘ ZAP-70
3. ✘ PSTPIPI
4. ✔ All of the three

**Question Number : 99 Question Id : 59345216946 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

All are true related to sweet syndrome ?

Options :

1. ✘ Drug induced sweet syndrome
2. ✘ Neuro sweet syndrome
3. ✘ Classical sweet syndrome

4. ✓ All of the three

**Question Number : 100 Question Id : 59345216947 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Hypopyon sign can be seen in following condition ?

**Options :**

1. ✘ SCPD
2. ✘ Pemphigus vulgaris
3. ✘ Pemphigus foliaceus
4. ✓ All of the three