

Banaras Hindu University

Notations :

- 1.Options shown in green color and with ✓ icon are correct.
- 2.Options shown in red color and with ✗ icon are incorrect.

Question Paper Name :	641 16th Mar 2022 Shift 3
Subject Name :	641
Creation Date :	2022-03-16 19:31:04
Duration :	120
Total Marks :	300
Display Marks:	Yes
Share Answer Key With Delivery Engine :	Yes
Actual Answer Key :	Yes
Calculator :	None
Magnifying Glass Required? :	No
Ruler Required? :	No
Eraser Required? :	No
Scratch Pad Required? :	No
Rough Sketch/Notepad Required? :	No
Protractor Required? :	No
Show Watermark on Console? :	Yes
Highlighter :	No
Auto Save on Console?	No
Change Font Color :	No
Change Background Color :	No
Change Theme :	No
Help Button :	No
Show Reports :	No
Show Progress Bar :	No

RET_General Surgery

Group Number :	1
Group Id :	593452101
Group Maximum Duration :	0
Group Minimum Duration :	120
Show Attended Group? :	No
Edit Attended Group? :	No
Break time :	0
Group Marks :	300
Is this Group for Examiner? :	No
Examiner permission :	Cant View
Show Progress Bar? :	No

Research_Methodology

Section Id :	593452197
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	40
Number of Questions to be attempted :	40
Section Marks :	120
Enable Mark as Answered Mark for Review and Clear Response :	Yes
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	593452225
Question Shuffling Allowed :	Yes

Question Number : 1 Question Id : 59345211648 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

What is a Research Design ?

शोध अभिकल्प क्या है ?

Options :

A way of conducting research that is not grounded in theory.

1. ✘ शोध संचालन का एक तरीका, जो सिद्धांत पर आधारित न हो।

The choice between using qualitative or quantitative methods.

2. ✘ गुणात्मक या परिमाणात्मक पद्धतियों के उपयोग के मध्य चुनाव।

The style in which you present your research findings e.g. a graph.

3. ✘ वह शैली जिसमें आप अपने शोध खोजों को प्रस्तुत करते हैं; जैसे - ग्राफ।

A framework for every stage of the collection and analysis of data.

4. ✔ आँकड़ों के संकलन और विश्लेषण के प्रत्येक स्तर के लिए एक ढाँचा।

Question Number : 2 Question Id : 59345211649 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The study design of collecting data at a particular point of time is called :

किसी विशेष समय बिन्दु पर आँकड़े संग्रहण करने वाला अध्ययन अभिकल्प कहलाता है :

Options :

Cohort study

1. ✘ सहगण अध्ययन (कोहार्ट स्टडी)

Trend study

2. ✘ प्रवृत्ति अध्ययन

Cross sectional study

3. ✔ प्रतिनिध्यात्मक (समकालीन) अध्ययन

Longitudinal study

4. ✘ अनुदैर्घ्य (दीर्घकालिक) अध्ययन

Question Number : 3 Question Id : 59345211650 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The value of middle position in a distribution of values is called :

मूल्यों के वितरण में मध्य स्थिति का मान कहलाता है :

Options :

Mean

1. ✘ माध्य

Median

2. ✔ माध्यिका

Mode

3. ✖ बहुलक

Mid-point

4. ✖ मध्य-बिन्दु

Question Number : 4 Question Id : 59345211651 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In order to pursue research, which of the following is priorly required ?

शोध को आगे बढ़ाने के लिए, निम्नलिखित में से किसकी पहले आवश्यकता होती है ?

Options :

Develop a research design

1. ✖ शोध अभिकल्प का विकास

Formulate research questions

2. ✔ शोध प्रश्नों का निर्माण

Deciding about the data analysis procedure

3. ✖ आंकड़ा विश्लेषण प्रक्रिया के बारे में निर्णय लेना

Formulating a research hypothesis

4. ✖ शोध परिकल्पना का निर्माण करना

Question Number : 5 Question Id : 59345211652 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is a basis of the quality of a research journal ?

निम्नलिखित में से किसी शोध पत्रिका की गुणवत्ता का आधार कौन है ?

Options :

Impact factor

1. ✓ प्रभाव गुण

h-index

2. ✘ एच-इंडेक्स

g-index

3. ✘ जी-इंडेक्स

i10-index

4. ✘ i10-इंडेक्स

Question Number : 6 Question Id : 59345211653 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If the population is heterogeneous, which one of the following probability sampling methods will be suitable ?

यदि जनसंख्या विजातीय है, तो निम्नलिखित में से कौन-सी सम्भाव्यता प्रतिदर्श विधि अधिक उपयुक्त होगी ?

Options :

- 1. ✘ Sequential sampling
क्रमानुसार प्रतिचयन
- 2. ✘ Quota sampling
कोटा प्रतिचयन
- 3. ✘ Double sampling
दोहरा प्रतिचयन
- 4. ✔ Stratified sampling
स्तरीकृत प्रतिचयन

Question Number : 7 Question Id : 59345211654 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Manipulation is a part of :

प्रद्वस्तन का एक हिस्सा है।

Options :

- 1. ✘ Historical research
ऐतिहासिक शोध

- Fundamental research
2. ✘ मौलिक शोध
- Descriptive research
3. ✘ वर्णनात्मक शोध
- Experimental research
4. ✔ प्रायोगिक शोध

Question Number : 8 Question Id : 59345211655 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

p-value stands for :

पी-मूल्य से तात्पर्य है :

Options :

- Probability value
1. ✔ सम्भाव्य मूल्य
- Preference value
2. ✘ वरीयता मूल्य
- Pre-determined value
3. ✘ पूर्व-निर्धारित मूल्य

Prescribed value

4. ✖ नियत मूल्य

Question Number : 9 Question Id : 59345211656 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

R^2 is known as the :

R^2 को के रूप में जाना जाता है।

Options :

Coefficient of determination

1. ✔ निर्धारण का गुणांक

Multiple correlation coefficient

2. ✖ बहु-सहसम्बन्ध गुणांक

Partial correlation coefficient

3. ✖ आंशिक सहसम्बन्ध गुणांक

Semi-partial correlation coefficient

4. ✖ अर्ध-आंशिक सहसम्बन्ध गुणांक

Question Number : 10 Question Id : 59345211657 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Rejection of null hypothesis, when it is true, leads to :

शून्य परिकल्पना अस्वीकृत हो जाये जबकि यह सत्य है को इंगित करती है।

Options :

Sampling Error

1. ✖ प्रतिचयन त्रुटि

Type II Error

2. ✖ टाइप II त्रुटि

Type I Error

3. ✔ टाइप I त्रुटि

Estimation Error

4. ✖ अनुमान त्रुटि

Question Number : 11 Question Id : 59345211658 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is first stage in Grounded Theory data analysis :

निम्नलिखित में से ग्राउंडेड थ्योरी के आँकड़ा विश्लेषण का प्रथम चरण कौन-सा होता है ?

Options :

Examination

1. ✖ परीक्षण

Open coding

2. ✔ खुली कूट संकेतन

Retardation

3. ✖ अवरोध

Comparison

4. ✖ तुलना

Question Number : 12 Question Id : 59345211659 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The area of the rejection region for a two-tailed test in comparison with area of the one-tailed test for the same level of significance will be :

सार्थकता के समान स्तर के लिए एक-पुच्छीय परीक्षण के अस्वीकृति क्षेत्र की तुलना में द्वि-पुच्छीय परीक्षण का क्षेत्र :

Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.

Options :

Smaller

1. छोटा होगा

- Same
2. समान होगा
- Larger
3. बड़ा होगा
- One-fourth
4. एक चौथाई होगा

Question Number : 13 Question Id : 59345211660 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Basic research is :

मौलिक शोध होता है :

Options :

- Practical and descriptive
1. ✖ व्यवहारिक और वर्णनात्मक
- Client-driven
2. ✖ ग्राहक-प्रेरित
- Expands current knowledge
3. ✔ वर्तमान ज्ञान का विस्तार करने वाला
- Advancement of technology
4. ✖ प्रौद्योगिकी में उन्नति लाने वाला

Question Number : 14 Question Id : 59345211661 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The technique in which an individual is presented with a stimulus and asked to respond with the first thing that comes to mind is known as :

वह तकनीक जिसमें व्यक्ति के सामने एक उत्तेजना प्रस्तुत की जाती है और पहली बात जो दिमाग में आती है, उसका जवाब देने के लिए कहा जाता है, को जाना जाता है :

Options :

Completion techniques

1. ✘ पूर्ति तकनीक

Focus groups

2. ✘ केंद्रित समूह

Association techniques

3. ✔ साहचर्य तकनीक

In depth interviews

4. ✘ गहन साक्षात्कार

Question Number : 15 Question Id : 59345211662 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

An Independent variable is defined as :

एक स्वतंत्र चर को परिभाषित किया जाता है :

Options :

- Change variable
- 1. ✓ परिवर्तनशील चर
- Confounding variable
- 2. ✘ भ्रमित चर
- Extraneous variable
- 3. ✘ वाह्य चर
- Outcome variable
- 4. ✘ परिणाम चर

Question Number : 16 Question Id : 59345211663 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one of the following statements is *false* for Research ?

निम्नलिखित में से कौन-सा कथन अनुसंधान के लिए *गलत* है ?

Options :

- Research design is a logical and systematic plan for a research study
- 1. ✘ अनुसंधान अभिकल्प शोध अध्ययन के लिए एक तार्किक और व्यवस्थित योजना है

Applied research is conducted to solve theoretical problems

2. ✓ सैद्धान्तिक समस्याओं को हल करने के लिए व्यावहारिक अनुसंधान किया जाता है

The basic research is also called as fundamental research

3. ✘ मूल शोध को मौलिक शोध भी कहा जाता है

A hypothesis is a statement that is tested for its validity

4. ✘ परिकल्पना एक कथन है जिसकी वैधता का परीक्षण किया जाता है

Question Number : 17 Question Id : 59345211664 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A researcher has administered some drug for management of diabetes for 4 weeks in a group and measured pre and post data for blood glucose level. Which statistical tool will be used to analyze data ?

एक शोधकर्ता ने एक समूह में 4 सप्ताह के लिए मधुमेह के प्रबंधन के लिए कुछ दवा दी है और रक्त शर्करा के पूर्व और बाद के स्तरों का मापन किया। प्राप्त आँकड़ों के विश्लेषण के लिए किस सांख्यिकीय विधि का उपयोग किया जाएगा ?

Options :

Paired 't' test

1. ✓ युग्मित टी-परीक्षण

Independent t-test

2. ✘ स्वतंत्र टी-परीक्षण

ANOVA test

3. ✖ एनोवा परीक्षण

Chi-square test

4. ✖ काई-वर्ग परीक्षण

Question Number : 18 Question Id : 59345211665 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is a qualitative variable ?

निम्न में से कौन एक गुणात्मक चर है ?

Options :

Colour of hair

1. ✔ बालों का रंग

Body weight

2. ✖ शारीरिक भार

Body height

3. ✖ शारीरिक ऊँचाई

Percentage of haemoglobin

4. ✖ हीमोग्लोबिन का प्रतिशत

Question Number : 19 Question Id : 59345211666 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A researcher should consider which of the following to prepare good research proposal ?

एक शोधकर्ता को अच्छा शोध प्रस्ताव तैयार करने के लिए निम्नलिखित में से किस पर विचार करना चाहिए ?

- (a) Research question should be novel
शोध प्रश्न नवीन होना चाहिए
- (b) Research protocol should be ethical and relevant
अनुसंधान प्रोटोकॉल नैतिक और प्रासंगिक होना चाहिए
- (c) Research question should be interesting and feasible
शोध प्रश्न दिलचस्प और व्यवहार्य होना चाहिए
- (d) Researcher should consider only his/her own interest and benefit
शोधकर्ता को केवल अपनी स्वयं की रुचि एवम लाभ पर विचार करना चाहिए

Options :

- a & d are correct
- 1. ✘ a और d सही हैं
- c & d are incorrect
- 2. ✘ c और d गलत हैं
- a, c & d are correct
- 3. ✘ a, c और d सही हैं

a, b & c are correct

4. ✓ a, b और c सही हैं

Question Number : 20 Question Id : 59345211667 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Why reviewing the existing literature is needed ?

मौजूदा साहित्य की समीक्षा करने की आवश्यकता क्यों है ?

Options :

It does not provide references

1. ✘ यह संदर्भों को प्रदान नहीं करता

It does not provide required word-count

2. ✘ आवश्यक शब्द-गणना नहीं देता

To find out what is already known about area of interest

3. ✓ यह जानने के लिए कि रुचि के क्षेत्र के बारे में पहले से क्या ज्ञात है

To help in non-related disciplines

4. ✘ असम्बन्धित विषयों में सहयोग करने के लिए

Question Number : 21 Question Id : 59345211668 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one is called non-probability sampling ?

किसे असंभाव्यता प्रतिचयन कहा जाता है ?

Options :

Quota sampling

1. ✓ कोटा प्रतिचयन

Cluster sampling

2. ✘ गुच्छ प्रतिचयन

Systematic sampling

3. ✘ व्यवस्थित प्रतिचयन

Stratified random sampling

4. ✘ स्तरीकृत यादृच्छिक प्रतिचयन

Question Number : 22 Question Id : 59345211669 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Random error can be effectively handled by :

यादृच्छिक त्रुटि को द्वारा प्रभावी ढंग से नियंत्रित किया जा सकता है ।

Options :

Adequate sample size

1. ✓ उपयुक्त नमूना आकार

Randomisation

2. ✖ यादृच्छीकरण

Blinding

3. ✖ अंधकरण

Representativeness

4. ✖ प्रतिनिधित्व

Question Number : 23 Question Id : 59345211670 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The *correct* definition of h index is :

एच-इंडेक्स की *सही* परिभाषा है :

Options :

Largest number h such that h publications have at least h citations

1. ✔ सबसे बड़ी संख्या h जैसे कि h प्रकाशनों में कम से कम h उद्धरण हों

Lowest number h such that h publications have at least h citations

2. ✖ सबसे कम संख्या h जैसे कि h प्रकाशनों में कम से कम h उद्धरण हों

Total number of citations divided by the total number of publications

3. ✖ उद्धरणों की कुल संख्या को प्रकाशन की कुल संख्या से विभाजित करने पर

Another name for impact factor

4. ✘ प्रभाव कारक का दूसरा नाम

Question Number : 24 Question Id : 59345211671 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is *not* a reference management tool ?

निम्नलिखित में से कौन संदर्भ प्रबंधन उपकरण *नहीं* है ?

Options :

EndNote

1. ✘ एण्डनोट

Zotero

2. ✘ ज़ोटेरो

Mendeley

3. ✘ मेंडले

Scopus

4. ✔ स्कोपस

Question Number : 25 Question Id : 59345211672 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Mean, Median and Mode are :
माध्य, माध्यिका और बहुलक हैं :

Options :

Measures of dispersion

1. ✖ प्रसरण का मापन

Measures of central tendency

2. ✔ केंद्रीय प्रवृत्ति का मापन

Measures of probability

3. ✖ संभाव्यता का मापन

Sampling methods

4. ✖ प्रतिचयन विधि

Question Number : 26 Question Id : 59345211673 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

What is the appropriate measure of dispersion to report when median is reported as the measure of central tendency for a given set of data ?

रिपोर्ट करने के लिए विचलन का उपयुक्त उपाय क्या है जब माध्यिका को आँकड़ों के एक समूह के लिए केंद्रीय प्रवृत्ति के मापन के रूप में प्रयुक्त किया जाता है ?

Options :

Standard deviation

1. ✖ मानक विचलन

Interquartile range

2. ✓ अंतश्चतुर्थक विस्तार

Variance

3. ✘ विचरण

Coefficient of variance

4. ✘ विचरण का गुणांक

Question Number : 27 Question Id : 59345211674 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Open ended group discussion that promotes discussion among participants is called

विवृतांग (ओपन एंडेड ग्रुप) चर्चा जो प्रतिभागियों के बीच परिचर्चा को बढ़ावा देते हैं, कहलाते हैं

Options :

In-depth discussion

1. ✘ गहन चर्चा

Focus group discussions

2. ✓ फोकस ग्रुप चर्चा

Participant observation

3. ✖ प्रतिभागी अवलोकन

Structured interviews

4. ✖ संरचित साक्षात्कार

Question Number : 28 Question Id : 59345211675 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The ability of a tool to correctly measure what it is supposed to measure is called as :

किसी उपकरण/साधन की 'जिस उद्देश्य के मापन के लिए प्रयोग हो रहा है उसे सही-सही मापने की क्षमता' कहलाती है :

Options :

Validity

1. ✔ वैधता

Reliability

2. ✖ विश्वसनीयता

Consistency

3. ✖ संगति

Accuracy

4. ✖ सटीकता

Question Number : 29 Question Id : 59345211676 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In an experimental study of the effects of time spent on studying on grade, time spent studying would be the :

ग्रेड पर अध्ययन में व्यतीत समय के प्रभावों के एक प्रायोगिक अध्ययन में, अध्ययन में बिताया गया समय होगा :

Options :

- Control group
- 1. ✘ नियंत्रण समूह
- Independent variable
- 2. ✔ स्वतंत्र चर
- Experimental group
- 3. ✘ प्रायोगिक समूह
- Dependent variable
- 4. ✘ आश्रित चर

Question Number : 30 Question Id : 59345211677 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A reasoning where we start with certain particular statements and conclude with a universal statement is called :

एक तर्क जहाँ हम कुछ विशिष्ट कथनों से शुरू करते हैं और एक सार्वभौमिक कथन के साथ निष्कर्ष निकालते हैं, कहलाता है :

Options :

Deductive Reasoning

1. ✘ निगमनात्मक तर्क

Inductive Reasoning

2. ✔ आगमनात्मक तर्क

Abnormal Reasoning

3. ✘ असामान्य तर्क

Transcendental Reasoning

4. ✘ प्राशनुभविक तर्क

Question Number : 31 Question Id : 59345211678 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If a distribution is described as platykurtic, then it is :

यदि किसी वितरण को प्लेटिक्यूरटिक (सपाटक कुर्दी) के रूप में वर्णित किया जाता है, तो वह है :

Options :

Peaked

1. ✘ चोटीदार

Flat
2. ✓ सपाट

Bimodal
3. ✘ द्विबाहुलकी

Thin
4. ✘ पतला

Question Number : 32 Question Id : 59345211679 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In a statistical table the row headings are referred to as :

एक सांख्यिकीय तालिका में, पंक्ति शीर्षकों को कहा जाता है :

Options :

Source note
1. ✘ स्रोत नोट

Captions
2. ✘ कैप्शन (अनुशीर्षक)

Stubs
3. ✓ स्टब्स (टूठ)

Body

4. ✖ शरीर

Question Number : 33 Question Id : 59345211680 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following techniques are used to control extraneous variables in research ?

अनुसंधान में बाह्य चरों को नियंत्रित करने के लिए निम्नलिखित में से किस तकनीक का उपयोग किया जाता है ?

Options :

Change of instrument

1. ✖ साधन का परिवर्तन

Randomization

2. ✔ यादृच्छीकरण

Change the research method

3. ✖ अनुसंधान विधियों में परिवर्तन

Parameterization

4. ✖ पैरामीट्रिजेशन (प्राचलीकरण)

Question Number : 34 Question Id : 59345211681 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is the information and library network under UGC ?

यूजीसी के तहत निम्नलिखित में से कौन-सा सूचना और पुस्तकालय नेटवर्क है ?

Options :

INFLIBNET

1. ✓ इनफिलिबनेट

NISCAIR

2. ✗ निस्केयर

Association of Indian Universities

3. ✗ भारतीय विश्वविद्यालयों का संघ

NAAC

4. ✗ नैक

Question Number : 35 Question Id : 59345211682 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A research tool consisting of a series of questions is known as :

प्रश्नों की एक शृंखला से युक्त एक शोध उपकरण को कहा जाता है :

Options :

Observation schedule

1. ✗ अवलोकन अनुसूची

Interview schedule

2. ✘ साक्षात्कार अनुसूची

Questionnaire

3. ✔ प्रश्नावली

Psychological test

4. ✘ मनोवैज्ञानिक परीक्षण

**Question Number : 36 Question Id : 59345211683 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On
Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

What does a good thesis involve ?

एक अच्छी थीसिस में क्या सम्मिलित होता है ?

- (a) Reducing punctuations as well as grammatical errors to minimal level.
विराम-चिन्हों तथा व्याकरण अशुद्धियों को अल्पतम स्तर तक कम करना।
- (b) Correct reference citation.
समुचित सन्दर्भ उद्धरण।
- (c) Consistency in the way of thesis writing.
थीसिस लेखन के तरीके में सुसंगति।
- (d) All of the three
तीनों में सभी

Choose the *correct* answer from the codes given below :

नीचे दिये गये कूट में से *सही* उत्तर चुनें :

Codes :

कूट :

Options :

a, b, c and d

1. ✓ a, b, c तथा d

a, c and d

2. ✗ a, c तथा d

a, b and c

3. ✓ a, b तथा c

c, b and d

4. ✘ c, b तथा d

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 37 Question Id : 59345211684 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The difference between the expected value of a sample statistic and the estimated value of parameter is called :

नमूना आंकड़ों के अपेक्षित मूल्य और प्राचल के अनुमानित मूल्य के बीच के अन्तर को कहा जाता है :

Options :

Error

1. ✘ त्रुटि

Bias

2. ✔ पूर्वाग्रह

Contradiction

3. ✘ विरोधाभास

Difference

4. ✘ अंतर

Question Number : 38 Question Id : 59345211685 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Among the following, widely used method for extracting factors is :

निम्नलिखित में से, कारकों को निकालने के लिए व्यापक रूप से इस्तेमाल की जाने वाली विधि है :

Options :

Path analysis

1. ✖ पथ विश्लेषण

Discriminant analysis

2. ✖ विभेदक विश्लेषण

Group analysis

3. ✖ समूह विश्लेषण

Principle component analysis

4. ✔ प्रमुख-घटक विश्लेषण


Question Number : 39 Question Id : 59345211686 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Study the following given graph and answer the question :

निम्नलिखित ग्राफ का अध्ययन कीजिए तथा प्रश्न का उत्तर दीजिए :



What was the price difference between commodity A and B in the month of April ?

अप्रैल के महीने में सामग्री A और B के बीच मूल्य का अन्तर क्या था ?

Options :

1. ✘ 250
2. ✔ 150
3. ✘ 100
4. ✘ 90


Question Number : 40 Question Id : 59345211687 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Study the following given graph and answer the question :

निम्नलिखित ग्राफ का अध्ययन कीजिए तथा प्रश्न का उत्तर दीजिए :



What was the difference in average price between commodity A and B from April to August ?

अप्रैल से अगस्त तक सामग्री A और B के औसत मूल्य में कितना अन्तर था ?

Options :

1. ✘ 90

2. ✘ 86

3. ✘ 95

4. ✔ 75

Subject_&_Area Concerned

Section Id :	593452198
Section Number :	2
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	60
Number of Questions to be attempted :	60
Section Marks :	180
Enable Mark as Answered Mark for Review and Clear Response :	Yes
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	593452226
Question Shuffling Allowed :	Yes

Question Number : 41 Question Id : 59345211688 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The lethal triad of physiological exhaustion does NOT include :

Options :

1. ✘ Acidosis
2. ✔ Hypotension
3. ✘ Hypothermia
4. ✘ Coagulopathy

Question Number : 42 Question Id : 59345211689 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Absence of tachycardia in a patient in shock could be due to the intake of :

Options :

1. ✘ Atropine
2. ✘ Octreotide
3. ✔ Propranolol
4. ✘ Nifedipine

Question Number : 43 Question Id : 59345211690 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A mixed venous oxygen saturation of over 70% is likely to be found in :

Options :

1. ✘ Hypovolaemic shock
2. ✘ Cardiogenic shock
3. ✔ Septic shock

4. ✘ Neurogenic shock

Question Number : 44 Question Id : 59345211691 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Emergency reversal of warfarin anti-coagulant effect is best achieved by administration of :

Options :

1. ✘ Fresh frozen plasma
2. ✔ Prothrombin complex concentrate
3. ✘ Platelets
4. ✘ Cryoprecipitate

Question Number : 45 Question Id : 59345211692 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The Ziehl-Neelsen method of staining is used for identification of :

Options :

1. ✘ Pseudomonas
2. ✘ Clostridium

3. ✘ Methicillin resistant Staphylococcus

4. ✔ Mycobacterium

Question Number : 46 Question Id : 59345211693 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A patent processus vaginalis predisposes to the development of :

Options :

1. ✔ Inguinal hernia

2. ✘ Femoral hernia

3. ✘ Hiatus hernia

4. ✘ Spigelian hernia

Question Number : 47 Question Id : 59345211694 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Torsion of the testicular appendage is typically seen in :

Options :

1. ✘ Infancy

2. ✔ Just before puberty

3. ✖ Just after marriage

4. ✖ Elderly with BPH

Question Number : 48 Question Id : 59345211695 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Passage of 'red currant jelly' stool is found in :

Options :

1. ✔ Intussusceptions

2. ✖ Sigmoid volvulus

3. ✖ Crohn's disease

4. ✖ Caecal carcinoma

Question Number : 49 Question Id : 59345211696 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A 'Heimlich maneuver' is used for :

Options :

1. ✖ Testicular torsion

2. ✖ Bleeding esophageal varices

3. ✘ Tension pneumothorax

4. ✔ Inhaled foreign body

Question Number : 50 Question Id : 59345211697 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The commonest congenital malformation seen in live born infants is :

Options :

1. ✔ Congenital heart disease

2. ✘ Congenital diaphragmatic hernia

3. ✘ Hirschsprung's disease

4. ✘ Choledochal cyst

Question Number : 51 Question Id : 59345211698 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Serum calcitonin levels are used in the followup of :

Options :

1. ✘ Malignant pheochromocytoma

2. ✔ Medullary thyroid cancer

3. ✘ Oat cell carcinoma of lung

4. ✘ Ovarian cystadenocarcinoma

Question Number : 52 Question Id : 59345211699 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Exposure to asbestos dust has been linked to causation of :

Options :

1. ✔ Mesothelioma

2. ✘ Germ cell tumor

3. ✘ Endometrial cancer

4. ✘ Esophageal cancer

Question Number : 53 Question Id : 59345211700 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Long term tamoxifen usage has been linked to occurrence of :

Options :

1. ✘ Colonic polyp

2. ✘ Chronic pancreatitis

3. ✓ Endometrial hyperplasia

4. ✘ Interstitial pulmonary fibrosis

Question Number : 54 Question Id : 59345211701 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Exposure to aflatoxins is linked to the causation of :

Options :

1. ✘ Mediastinal germ cell tumor

2. ✓ Hepatocellular carcinoma

3. ✘ Cystadenocarcinoma of ovary

4. ✘ Adenocarcionma of colon

Question Number : 55 Question Id : 59345211702 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Workers involved in rubber factories may develop :

Options :

1. ✘ Hepatocellular carcinoma

2. ✘ Pancreatic adenocarcinoma

3. ✘ Bronchogenic carcinoma

4. ✔ Urinary bladder carcinoma

Question Number : 56 Question Id : 59345211703 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The missing of fast growing tumors in screening programs is called :

Options :

1. ✘ Lead time bias

2. ✔ Length bias

3. ✘ Selection bias

4. ✘ Distribution bias

Question Number : 57 Question Id : 59345211704 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The 'REAL' system is used for the classification of :

Options :

1. ✔ Hodgkin's lymphoma

2. ✘ Thyroid neoplasm

3. ✘ Ovarian carcinoma

4. ✘ Germ cell tumors

Question Number : 58 Question Id : 59345211705 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The artefactual inflation of survival time in patients enrolled in screening programs is called :

Options :

1. ✔ Lead time bias

2. ✘ Length bias

3. ✘ Selection bias

4. ✘ Distribution bias

Question Number : 59 Question Id : 59345211706 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The Gleason grading system is used for :

Options :

1. ✘ Ovarian cancer

2. ✘ Non gonadal germ cell tumors
3. ✔ Prostate cancer
4. ✘ Malignant brain tumors

Question Number : 60 Question Id : 59345211707 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Chemo-radiation is potentially curable for :

Options :

1. ✘ Gall bladder cancer
2. ✘ Pancreatic adenocarcinoma
3. ✘ Carcinoma ascending colon
4. ✔ Anal squamous cell carcinoma

Question Number : 61 Question Id : 59345211708 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Galactorrhea is a presenting symptom of :

Options :

1. ✘ Somatostatinoma

2. ✘ ACTHoma

3. ✘ VIPoma

4. ✔ Prolactinoma

Question Number : 62 Question Id : 59345211709 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Oat cell cancers occur in :

Options :

1. ✘ Pancreas

2. ✘ Prostate

3. ✔ Lungs

4. ✘ Liver

Question Number : 63 Question Id : 59345211710 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Tumors of neurogenic origin are most common in :

Options :

1. ✘ Superior mediastinum
2. ✘ Anterior mediastinum
3. ✘ Middle mediastinum
4. ✔ Posterior mediastinum

Question Number : 64 Question Id : 59345211711 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Patients of Raynaud's syndrome may benefit from :

Options :

1. ✔ Nifedipine
2. ✘ Propranolol
3. ✘ Nitroglycerine
4. ✘ Phenoxybenzamine

Question Number : 65 Question Id : 59345211712 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Foam sclerotherapy of varicose veins is done using :

Options :

1. ✘ Copper sulphate
2. ✘ Potassium permanganate
3. ✔ Sodium tetradecyl sulphate
4. ✘ Sodium hypochlorite

Question Number : 66 Question Id : 59345211713 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Charing Cross four layer bandage is used for :

Options :

1. ✘ Diabetic foot ulcer
2. ✘ Ischemic ulcer
3. ✘ Neuropathic ulcer
4. ✔ Venous ulcer

Question Number : 67 Question Id : 59345211714 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Pringle's maneuver is used for :

Options :

1. ✓ Liver trauma
2. ✗ Renal trauma
3. ✗ Splenic trauma
4. ✗ Pancreatic trauma

Question Number : 68 Question Id : 59345211715 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A peritoneal sac is usually absent is :

Options :

1. ✗ Femoral hernia
2. ✗ Obturator hernia
3. ✗ Umbilical hernia
4. ✓ Epigastric hernia

Question Number : 69 Question Id : 59345211716 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The viability of the transposed gastric tube following esophagectomy depends on the :

Options :

1. ✘ Short gastric arteries
2. ✘ Left gastric artery
3. ✘ Left gastro-epiploic artery
4. ✔ Right gastro-epiploic artery

Question Number : 70 Question Id : 59345211717 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Achalasia cardia patients can benefit from intra sphincteric injection of :

Options :

1. ✘ Octreotide
2. ✔ Botulinum
3. ✘ Histamine
4. ✘ Nor epinephrine

Question Number : 71 Question Id : 59345211718 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following does not cause metabolic acidosis ?

Options :

1. ✓ Pyloric stenosis
2. ✘ Renal failure
3. ✘ Ureterosigmoidostomy
4. ✘ Pancreatic fistula

Question Number : 72 Question Id : 59345211719 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

All of the following are major complications of massive transfusion except :

Options :

1. ✓ Hypokalemia
2. ✘ Hypothermia
3. ✘ Hypomagnesaemia
4. ✘ Hypocalcaemia

Question Number : 73 Question Id : 59345211720 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On

Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is a procoagulation protein ?

Options :

1. ✘ Thrombomodulin
2. ✘ Protein C
3. ✘ Protein S
4. ✔ Thrombin

Question Number : 74 Question Id : 59345211721 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The paraneoplastic syndrome associated with Hodgkin's disease is :

Options :

1. ✘ Nephrotic syndrome
2. ✘ Retinopathy
3. ✔ Cerebellar degenerative disease
4. ✘ Acanthosis nigricans

Question Number : 75 Question Id : 59345211722 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Early stage of trauma is characterized by :

Options :

1. ✓ Catabolism
2. ✘ Anabolism
3. ✘ Glycogenesis
4. ✘ Gluconeogenesis

Question Number : 76 Question Id : 59345211723 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Abdominal ultrasound imaging is done at a frequency of :

Options :

1. ✘ 1-2 MHz
2. ✓ 3-7 MHz
3. ✘ 15-20 MHz
4. ✘ 40-60 MHz

Question Number : 77 Question Id : 59345211724 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Tissue metabolic characteristics can be assessed by :

Options :

1. ✘ MRI Scan
2. ✘ CECT Scan
3. ✔ PET Scan
4. ✘ Gadolinium DTPA Scan

Question Number : 78 Question Id : 59345211725 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The incidence of bacteremia is highest with :

Options :

1. ✔ Dental extraction
2. ✘ Colonoscopy
3. ✘ ERCP
4. ✘ Esophageal varices band ligation

Question Number : 79 Question Id : 59345211726 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Histological stains for amyloid is best done by :

Options :

1. ✘ Van Gieson stain
2. ✔ Congo red stain
3. ✘ PAS stain
4. ✘ Perls Prussian blue stain

Question Number : 80 Question Id : 59345211727 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Imatinib is most effective in GIST which express :

Options :

1. ✘ CD113
2. ✔ CD117
3. ✘ CD119
4. ✘ CD121

Question Number : 81 Question Id : 59345211728 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Sympathectomy is most effective in :

Options :

1. ✘ Atherosclerosis
2. ✔ Hyperhidrosis
3. ✘ Raynaud's disease
4. ✘ Intermittent claudication

Question Number : 82 Question Id : 59345211729 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Buerger's disease patient will NOT have :

Options :

1. ✘ Intermittent claudication
2. ✘ Rest pain
3. ✔ Absence of femoral pulse

4. ✖ Migratory superficial thrombophlebitis

Question Number : 83 Question Id : 59345211730 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Branham's sign is positive in :

Options :

1. ✔ Arterio-venous fistula
2. ✖ Deep venous thrombosis
3. ✖ Thromboangiitis obliterans
4. ✖ Atherosclerotic occlusion

Question Number : 84 Question Id : 59345211731 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Raynaud's phenomenon manifests in following sequence :

Options :

1. ✖ Cyanosis, blanching, erythema
2. ✖ Blanching, erythema, cyanosis
3. ✖ Erythema, cyanosis, blanching

4. ✓ Blanching, cyanosis, erythema

Question Number : 85 Question Id : 59345211732 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Tinel's sign is used to assess for :

Options :

1. ✘ Deep venous thrombosis
2. ✘ Ischemia of the toes
3. ✓ Nerve regeneration
4. ✘ Lymphatic blockage in lymphedema

Question Number : 86 Question Id : 59345211733 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Virus linked to causation of oral cancer is :

Options :

1. ✘ H1N1 virus
2. ✘ Arbo virus

3. ✘ Paramyxovirus

4. ✔ Human papilloma virus

Question Number : 87 Question Id : 59345211734 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Condition associated with highest risk of malignant conversion for oral cancer is :

Options :

1. ✔ Speckled erythroplakia

2. ✘ Oral lichen planus

3. ✘ Discoid lupus erythematosus

4. ✘ Submucosal cyst

Question Number : 88 Question Id : 59345211735 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The rectus abdominis free flap is based on :

Options :

1. ✘ Profunda femoris artery

2. ✘ Superficial femoral artery

3. ✓ Deep inferior epigastric artery

4. ✘ Obturator artery

Question Number : 89 Question Id : 59345211736 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Functional neck dissection for oral cancer spares :

Options :

1. ✘ Submandibular gland

2. ✓ Spinal accessory nerve

3. ✘ Internal jugular vein

4. ✘ Sternocleidomastoid muscle

Question Number : 90 Question Id : 59345211737 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following hernias is least likely to contain intestine as content ?

Options :

1. ✘ Femoral hernia

2. ✘ Obturator hernia
3. ✘ Umbilical hernia
4. ✔ Epigastric hernia

Question Number : 91 Question Id : 59345211738 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The urea C¹⁴ breath test is used to diagnose infection by :

Options :

1. ✘ Clostridium perfringens
2. ✘ Acinetobacter baumannii
3. ✔ Helicobacter pylori
4. ✘ Enterobacter cloacae

Question Number : 92 Question Id : 59345211739 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

NSAIDs produce gastritis by inhibiting the production of :

Options :

1. ✔ Prostaglandin

2. ✘ Histamine
3. ✘ Somatostatin
4. ✘ Enteroglucagon

Question Number : 93 Question Id : 59345211740 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Peptic ulcers are known to occur in :

Options :

1. ✘ Appendix
2. ✔ Meckel's diverticulum
3. ✘ Sigmoid colon
4. ✘ Rectum

Question Number : 94 Question Id : 59345211741 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Commonest cause of upper gastro intestinal bleeding is :

Options :

1. ✘ Gastric cancer
2. ✘ Esophageal varices
3. ✔ Duodenal ulcer
4. ✘ Mallory Weiss tear

Question Number : 95 Question Id : 59345211742 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following criteria is NOT a component of Child's classification of hepatocellular function ?

Options :

1. ✘ Serum bilirubin
2. ✘ Serum albumin
3. ✔ Prothrombin time
4. ✘ Ascites

Question Number : 96 Question Id : 59345211743 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Acute liver failure can occur with overdose of :

Options :

1. ✘ Tamsulosin
2. ✘ Pantoprazole
3. ✘ Octreotide
4. ✔ Paracetamol

Question Number : 97 Question Id : 59345211744 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Lesion with the highest chance of spontaneous rupture in the liver is :

Options :

1. ✘ Hemangioma liver
2. ✔ Hepatic adenoma
3. ✘ Focal nodular hyperplasia
4. ✘ Hepatocellular carcinoma

Question Number : 98 Question Id : 59345211745 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The 'caterpillar turn' is an anomaly of :

Options :

1. ✓ Hepatic artery
2. ✗ Portal vein
3. ✗ Right gastric artery
4. ✗ Right gastro epiploic artery

Question Number : 99 Question Id : 59345211746 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Strawberry gall bladder is due to sub mucosal aggregation of :

Options :

1. ✗ Calcium carbonate
2. ✗ Bile pigments
3. ✗ Bile salts
4. ✓ Cholesterol

Question Number : 100 Question Id : 59345211747 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Acute pancreatitis is known to occur in patients of :

Options :

1. ✘ Hypo thyroidism
2. ✔ Hyper parathyroidism
3. ✘ Pheochromocytoma
4. ✘ Cirrhosis liver