

Banaras Hindu University

Notations :

- 1.Options shown in green color and with ✓ icon are correct.
- 2.Options shown in red color and with ✗ icon are incorrect.

| | |
|--|---------------------------|
| Question Paper Name : | 638 16th Mar 2022 Shift 3 |
| Subject Name : | 638 |
| Creation Date : | 2022-03-16 19:31:02 |
| Duration : | 120 |
| Total Marks : | 300 |
| Display Marks: | Yes |
| Share Answer Key With Delivery Engine : | Yes |
| Actual Answer Key : | Yes |
| Calculator : | None |
| Magnifying Glass Required? : | No |
| Ruler Required? : | No |
| Eraser Required? : | No |
| Scratch Pad Required? : | No |
| Rough Sketch/Notepad Required? : | No |
| Protractor Required? : | No |
| Show Watermark on Console? : | Yes |
| Highlighter : | No |
| Auto Save on Console? | No |
| Change Font Color : | No |
| Change Background Color : | No |
| Change Theme : | No |
| Help Button : | No |
| Show Reports : | No |
| Show Progress Bar : | No |

RET_Otolaryngology (ENT)

| | |
|-------------------------------|-----------|
| Group Number : | 1 |
| Group Id : | 593452154 |
| Group Maximum Duration : | 0 |
| Group Minimum Duration : | 120 |
| Show Attended Group? : | No |
| Edit Attended Group? : | No |
| Break time : | 0 |
| Group Marks : | 300 |
| Is this Group for Examiner? : | No |
| Examiner permission : | Cant View |
| Show Progress Bar? : | No |

Research_Methodology

| | |
|--|-----------|
| Section Id : | 593452303 |
| Section Number : | 1 |
| Section type : | Online |
| Mandatory or Optional : | Mandatory |
| Number of Questions : | 40 |
| Number of Questions to be attempted : | 40 |
| Section Marks : | 120 |
| Enable Mark as Answered Mark for Review and Clear Response : | Yes |
| Maximum Instruction Time : | 0 |
| Sub-Section Number : | 1 |
| Sub-Section Id : | 593452331 |
| Question Shuffling Allowed : | Yes |

Question Number : 1 Question Id : 59345216948 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

What is a Research Design ?

शोध अभिकल्प क्या है ?

Options :

A way of conducting research that is not grounded in theory.

1. ✘ शोध संचालन का एक तरीका, जो सिद्धांत पर आधारित न हो।

The choice between using qualitative or quantitative methods.

2. ✘ गुणात्मक या परिमाणात्मक पद्धतियों के उपयोग के मध्य चुनाव।

The style in which you present your research findings e.g. a graph.

3. ✘ वह शैली जिसमें आप अपने शोध खोजों को प्रस्तुत करते हैं; जैसे - ग्राफ।

A framework for every stage of the collection and analysis of data.

4. ✔ आँकड़ों के संकलन और विश्लेषण के प्रत्येक स्तर के लिए एक ढाँचा।

Question Number : 2 Question Id : 59345216949 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The study design of collecting data at a particular point of time is called :

किसी विशेष समय बिन्दु पर आँकड़े संग्रहण करने वाला अध्ययन अभिकल्प कहलाता है :

Options :

Cohort study

1. ✘ सहगण अध्ययन (कोहार्ट स्टडी)

Trend study

2. ✘ प्रवृत्ति अध्ययन

Cross sectional study

3. ✔ प्रतिनिध्यात्मक (समकालीन) अध्ययन

Longitudinal study

4. ✘ अनुदैर्घ्य (दीर्घकालिक) अध्ययन

Question Number : 3 Question Id : 59345216950 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The value of middle position in a distribution of values is called :

मूल्यों के वितरण में मध्य स्थिति का मान कहलाता है :

Options :

Mean

1. ✘ माध्य

Median

2. ✔ माध्यिका

Mode

3. ✘ बहुलक

Mid-point

4. ✘ मध्य-बिन्दु

Question Number : 4 Question Id : 59345216951 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In order to pursue research, which of the following is priorly required ?

शोध को आगे बढ़ाने के लिए, निम्नलिखित में से किसकी पहले आवश्यकता होती है ?

Options :

Develop a research design

1. ✘ शोध अभिकल्प का विकास

Formulate research questions

2. ✔ शोध प्रश्नों का निर्माण

Deciding about the data analysis procedure

3. ✘ आंकड़ा विश्लेषण प्रक्रिया के बारे में निर्णय लेना

Formulating a research hypothesis

4. ✘ शोध परिकल्पना का निर्माण करना

Question Number : 5 Question Id : 59345216952 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is a basis of the quality of a research journal ?

निम्नलिखित में से किसी शोध पत्रिका की गुणवत्ता का आधार कौन है ?

Options :

Impact factor

1. ✓ प्रभाव गुण

h-index

2. ✘ एच-इंडेक्स

g-index

3. ✘ जी-इंडेक्स

i10-index

4. ✘ i10-इंडेक्स

Question Number : 6 Question Id : 59345216953 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If the population is heterogeneous, which one of the following probability sampling methods will be suitable ?

यदि जनसंख्या विजातीय है, तो निम्नलिखित में से कौन-सी सम्भाव्यता प्रतिदर्श विधि अधिक उपयुक्त होगी ?

Options :

- 1. ✘ Sequential sampling
क्रमानुसार प्रतिचयन
- 2. ✘ Quota sampling
कोटा प्रतिचयन
- 3. ✘ Double sampling
दोहरा प्रतिचयन
- 4. ✔ Stratified sampling
स्तरीकृत प्रतिचयन

Question Number : 7 Question Id : 59345216954 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Manipulation is a part of :

प्रदस्तन का एक हिस्सा है।

Options :

- 1. ✘ Historical research
ऐतिहासिक शोध

- Fundamental research
2. ✖ मौलिक शोध
- Descriptive research
3. ✖ वर्णनात्मक शोध
- Experimental research
4. ✔ प्रायोगिक शोध

Question Number : 8 Question Id : 59345216955 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

p-value stands for :

पी-मूल्य से तात्पर्य है :

Options :

- Probability value
1. ✔ सम्भाव्य मूल्य
- Preference value
2. ✖ वरीयता मूल्य
- Pre-determined value
3. ✖ पूर्व-निर्धारित मूल्य

Prescribed value

4. ✖ नियत मूल्य

Question Number : 9 Question Id : 59345216956 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

R^2 is known as the :

R^2 को के रूप में जाना जाता है।

Options :

Coefficient of determination

1. ✔ निर्धारण का गुणांक

Multiple correlation coefficient

2. ✖ बहु-सहसम्बन्ध गुणांक

Partial correlation coefficient

3. ✖ आंशिक सहसम्बन्ध गुणांक

Semi-partial correlation coefficient

4. ✖ अर्ध-आंशिक सहसम्बन्ध गुणांक

Question Number : 10 Question Id : 59345216957 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Rejection of null hypothesis, when it is true, leads to :

शून्य परिकल्पना अस्वीकृत हो जाये जबकि यह सत्य है को इंगित करती है।

Options :

Sampling Error

1. ✖ प्रतिचयन त्रुटि

Type II Error

2. ✖ टाइप II त्रुटि

Type I Error

3. ✔ टाइप I त्रुटि

Estimation Error

4. ✖ अनुमान त्रुटि

Question Number : 11 Question Id : 59345216958 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is first stage in Grounded Theory data analysis :

निम्नलिखित में से ग्राउंडेड थ्योरी के आँकड़ा विश्लेषण का प्रथम चरण कौन-सा होता है ?

Options :

Examination

1. ✘ परीक्षण

Open coding

2. ✔ खुली कूट संकेतन

Retardation

3. ✘ अवरोध

Comparison

4. ✘ तुलना

Question Number : 12 Question Id : 59345216959 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The area of the rejection region for a two-tailed test in comparison with area of the one-tailed test for the same level of significance will be :

सार्थकता के समान स्तर के लिए एक-पुच्छीय परीक्षण के अस्वीकृति क्षेत्र की तुलना में द्वि-पुच्छीय परीक्षण का क्षेत्र :

Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.

Options :

Smaller

1. छोटा होगा

- Same
2. समान होगा
- Larger
3. बड़ा होगा
- One-fourth
4. एक चौथाई होगा

Question Number : 13 Question Id : 59345216960 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Basic research is :

मौलिक शोध होता है :

Options :

- Practical and descriptive
1. ✖ व्यावहारिक और वर्णनात्मक
- Client-driven
2. ✖ ग्राहक-प्रेरित
- Expands current knowledge
3. ✔ वर्तमान ज्ञान का विस्तार करने वाला
- Advancement of technology
4. ✖ प्रौद्योगिकी में उन्नति लाने वाला

Question Number : 14 Question Id : 59345216961 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The technique in which an individual is presented with a stimulus and asked to respond with the first thing that comes to mind is known as :

वह तकनीक जिसमें व्यक्ति के सामने एक उत्तेजना प्रस्तुत की जाती है और पहली बात जो दिमाग में आती है, उसका जवाब देने के लिए कहा जाता है, को जाना जाता है :

Options :

Completion techniques

1. ✘ पूर्ति तकनीक

Focus groups

2. ✘ केंद्रित समूह

Association techniques

3. ✔ साहचर्य तकनीक

In depth interviews

4. ✘ गहन साक्षात्कार

Question Number : 15 Question Id : 59345216962 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

An Independent variable is defined as :

एक स्वतंत्र चर को परिभाषित किया जाता है :

Options :

- Change variable
1. ✓ परिवर्तनशील चर
- Confounding variable
2. ✘ भ्रमित चर
- Extraneous variable
3. ✘ वाह्य चर
- Outcome variable
4. ✘ परिणाम चर

Question Number : 16 Question Id : 59345216963 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one of the following statements is *false* for Research ?

निम्नलिखित में से कौन-सा कथन अनुसंधान के लिए *गलत* है ?

Options :

- Research design is a logical and systematic plan for a research study
1. ✘ अनुसंधान अभिकल्प शोध अध्ययन के लिए एक तार्किक और व्यवस्थित योजना है

Applied research is conducted to solve theoretical problems

2. ✓ सैद्धान्तिक समस्याओं को हल करने के लिए व्यावहारिक अनुसंधान किया जाता है

The basic research is also called as fundamental research

3. ✖ मूल शोध को मौलिक शोध भी कहा जाता है

A hypothesis is a statement that is tested for its validity

4. ✖ परिकल्पना एक कथन है जिसकी वैधता का परीक्षण किया जाता है

Question Number : 17 Question Id : 59345216964 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A researcher has administered some drug for management of diabetes for 4 weeks in a group and measured pre and post data for blood glucose level. Which statistical tool will be used to analyze data ?

एक शोधकर्ता ने एक समूह में 4 सप्ताह के लिए मधुमेह के प्रबंधन के लिए कुछ दवा दी है और रक्त शर्करा के पूर्व और बाद के स्तरों का मापन किया। प्राप्त आँकड़ों के विश्लेषण के लिए किस सांख्यिकीय विधि का उपयोग किया जाएगा ?

Options :

Paired 't' test

1. ✓ युग्मित टी-परीक्षण

Independent t-test

2. ✖ स्वतंत्र टी-परीक्षण

ANOVA test

3. ✖ एनोवा परीक्षण

Chi-square test

4. ✖ काई-वर्ग परीक्षण

Question Number : 18 Question Id : 59345216965 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is a qualitative variable ?

निम्न में से कौन एक गुणात्मक चर है ?

Options :

Colour of hair

1. ✔ बालों का रंग

Body weight

2. ✖ शारीरिक भार

Body height

3. ✖ शारीरिक ऊँचाई

Percentage of haemoglobin

4. ✖ हीमोग्लोबिन का प्रतिशत

Question Number : 19 Question Id : 59345216966 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A researcher should consider which of the following to prepare good research proposal ?

एक शोधकर्ता को अच्छा शोध प्रस्ताव तैयार करने के लिए निम्नलिखित में से किस पर विचार करना चाहिए ?

- (a) Research question should be novel
शोध प्रश्न नवीन होना चाहिए
- (b) Research protocol should be ethical and relevant
अनुसंधान प्रोटोकॉल नैतिक और प्रासंगिक होना चाहिए
- (c) Research question should be interesting and feasible
शोध प्रश्न दिलचस्प और व्यवहार्य होना चाहिए
- (d) Researcher should consider only his/her own interest and benefit
शोधकर्ता को केवल अपनी स्वयं की रुचि एवम लाभ पर विचार करना चाहिए

Options :

- a & d are correct
- 1. ✘ a और d सही हैं
- c & d are incorrect
- 2. ✘ c और d गलत हैं
- a, c & d are correct
- 3. ✘ a, c और d सही हैं

a, b & c are correct

4. ✓ a, b और c सही हैं

Question Number : 20 Question Id : 59345216967 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Why reviewing the existing literature is needed ?

मौजूदा साहित्य की समीक्षा करने की आवश्यकता क्यों है ?

Options :

It does not provide references

1. ✘ यह संदर्भों को प्रदान नहीं करता

It does not provide required word-count

2. ✘ आवश्यक शब्द-गणना नहीं देता

To find out what is already known about area of interest

3. ✓ यह जानने के लिए कि रुचि के क्षेत्र के बारे में पहले से क्या ज्ञात है

To help in non-related disciplines

4. ✘ असम्बन्धित विषयों में सहयोग करने के लिए

Question Number : 21 Question Id : 59345216968 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one is called non-probability sampling ?

कैसे असंभाव्यता प्रतिचयन कहा जाता है ?

Options :

Quota sampling

1. ✓ कोटा प्रतिचयन

Cluster sampling

2. ✘ गुच्छ प्रतिचयन

Systematic sampling

3. ✘ व्यवस्थित प्रतिचयन

Stratified random sampling

4. ✘ स्तरीकृत यादृच्छिक प्रतिचयन

Question Number : 22 Question Id : 59345216969 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Random error can be effectively handled by :

यादृच्छिक त्रुटि को द्वारा प्रभावी ढंग से नियंत्रित किया जा सकता है ।

Options :

Adequate sample size

1. ✓ उपयुक्त नमूना आकार

Randomisation

2. ✖ यादृच्छीकरण

Blinding

3. ✖ अंधकरण

Representativeness

4. ✖ प्रतिनिधित्व

Question Number : 23 Question Id : 59345216970 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The *correct* definition of h index is :

एच-इंडेक्स की *सही* परिभाषा है :

Options :

Largest number h such that h publications have at least h citations

1. ✔ सबसे बड़ी संख्या h जैसे कि h प्रकाशनों में कम से कम h उद्धरण हों

Lowest number h such that h publications have at least h citations

2. ✖ सबसे कम संख्या h जैसे कि h प्रकाशनों में कम से कम h उद्धरण हों

Total number of citations divided by the total number of publications

3. ✖ उद्धरणों की कुल संख्या को प्रकाशन की कुल संख्या से विभाजित करने पर

Another name for impact factor

4. ✘ प्रभाव कारक का दूसरा नाम

Question Number : 24 Question Id : 59345216971 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is *not* a reference management tool ?

निम्नलिखित में से कौन संदर्भ प्रबंधन उपकरण *नहीं* है ?

Options :

EndNote

1. ✘ एण्डनोट

Zotero

2. ✘ ज़ोटेरो

Mendeley

3. ✘ मेंडले

Scopus

4. ✔ स्कोपस

Question Number : 25 Question Id : 59345216972 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Mean, Median and Mode are :
माध्य, माध्यिका और बहुलक हैं :

Options :

Measures of dispersion

1. ✖ प्रसरण का मापन

Measures of central tendency

2. ✔ केंद्रीय प्रवृत्ति का मापन

Measures of probability

3. ✖ संभाव्यता का मापन

Sampling methods

4. ✖ प्रतिचयन विधि

Question Number : 26 Question Id : 59345216973 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

What is the appropriate measure of dispersion to report when median is reported as the measure of central tendency for a given set of data ?

रिपोर्ट करने के लिए विचलन का उपयुक्त उपाय क्या है जब माध्यिका को आँकड़ों के एक समूह के लिए केंद्रीय प्रवृत्ति के मापन के रूप में प्रयुक्त किया जाता है ?

Options :

Standard deviation

1. ✖ मानक विचलन

Interquartile range

2. ✓ अंतश्चतुर्थक विस्तार

Variance

3. ✗ विचरण

Coefficient of variance

4. ✗ विचरण का गुणांक

Question Number : 27 Question Id : 59345216974 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Open ended group discussion that promotes discussion among participants is called

विवृतांग (ओपन एंडेड ग्रुप) चर्चा जो प्रतिभागियों के बीच परिचर्चा को बढ़ावा देते हैं, कहलाते हैं

Options :

In-depth discussion

1. ✗ गहन चर्चा

Focus group discussions

2. ✓ फोकस ग्रुप चर्चा

Participant observation

3. ✖ प्रतिभागी अवलोकन

Structured interviews

4. ✖ संरचित साक्षात्कार

Question Number : 28 Question Id : 59345216975 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The ability of a tool to correctly measure what it is supposed to measure is called as :

किसी उपकरण/साधन की 'जिस उद्देश्य के मापन के लिए प्रयोग हो रहा है उसे सही-सही मापने की क्षमता' कहलाती है :

Options :

Validity

1. ✔ वैधता

Reliability

2. ✖ विश्वसनीयता

Consistency

3. ✖ संगति

Accuracy

4. ✖ सटीकता

Question Number : 29 Question Id : 59345216976 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In an experimental study of the effects of time spent on studying on grade, time spent studying would be the :

ग्रेड पर अध्ययन में व्यतीत समय के प्रभावों के एक प्रायोगिक अध्ययन में, अध्ययन में बिताया गया समय होगा :

Options :

- Control group
- 1. ✘ नियंत्रण समूह
- Independent variable
- 2. ✔ स्वतंत्र चर
- Experimental group
- 3. ✘ प्रायोगिक समूह
- Dependent variable
- 4. ✘ आश्रित चर

Question Number : 30 Question Id : 59345216977 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A reasoning where we start with certain particular statements and conclude with a universal statement is called :

एक तर्क जहाँ हम कुछ विशिष्ट कथनों से शुरू करते हैं और एक सार्वभौमिक कथन के साथ निष्कर्ष निकालते हैं, कहलाता है :

Options :

Deductive Reasoning

1. ✖ निगमनात्मक तर्क

Inductive Reasoning

2. ✔ आगमनात्मक तर्क

Abnormal Reasoning

3. ✖ असामान्य तर्क

Transcendental Reasoning

4. ✖ प्राशनुभविक तर्क

Question Number : 31 Question Id : 59345216978 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If a distribution is described as platykurtic, then it is :

यदि किसी वितरण को प्लेटिक्यूरटिक (सपाटक कुर्दी) के रूप में वर्णित किया जाता है, तो वह है :

Options :

Peaked

1. ✖ चोटीदार

- Flat
2. ✓ सपाट
- Bimodal
3. ✘ द्विबाहुलकी
- Thin
4. ✘ पतला

Question Number : 32 Question Id : 59345216979 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In a statistical table the row headings are referred to as :

एक सांख्यिकीय तालिका में, पंक्ति शीर्षकों को कहा जाता है :

Options :

- Source note
1. ✘ स्रोत नोट
- Captions
2. ✘ कैप्शन (अनुशीर्षक)
- Stubs
3. ✓ स्टब्स (टूठ)

Body

4. ✖ शरीर

Question Number : 33 Question Id : 59345216980 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following techniques are used to control extraneous variables in research ?

अनुसंधान में बाह्य चरों को नियंत्रित करने के लिए निम्नलिखित में से किस तकनीक का उपयोग किया जाता है ?

Options :

Change of instrument

1. ✖ साधन का परिवर्तन

Randomization

2. ✔ यादृच्छीकरण

Change the research method

3. ✖ अनुसंधान विधियों में परिवर्तन

Parameterization

4. ✖ पैरामीट्रिजेशन (प्राचलीकरण)

Question Number : 34 Question Id : 59345216981 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is the information and library network under UGC ?

यूजीसी के तहत निम्नलिखित में से कौन-सा सूचना और पुस्तकालय नेटवर्क है ?

Options :

INFLIBNET

1. ✓ इनफिलिबनेट

NISCAIR

2. ✗ निस्केयर

Association of Indian Universities

3. ✗ भारतीय विश्वविद्यालयों का संघ

NAAC

4. ✗ नैक

Question Number : 35 Question Id : 59345216982 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A research tool consisting of a series of questions is known as :

प्रश्नों की एक शृंखला से युक्त एक शोध उपकरण को कहा जाता है :

Options :

Observation schedule

1. ✗ अवलोकन अनुसूची

Interview schedule

2. ✘ साक्षात्कार अनुसूची

Questionnaire

3. ✔ प्रश्नावली

Psychological test

4. ✘ मनोवैज्ञानिक परीक्षण

Question Number : 36 Question Id : 59345216983 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

What does a good thesis involve ?

एक अच्छी थीसिस में क्या सम्मिलित होता है ?

- (a) Reducing punctuations as well as grammatical errors to minimal level.
विराम-चिन्हों तथा व्याकरण अशुद्धियों को अल्पतम स्तर तक कम करना।
- (b) Correct reference citation.
समुचित सन्दर्भ उद्धरण।
- (c) Consistency in the way of thesis writing.
थीसिस लेखन के तरीके में सुसंगति।
- (d) All of the three
तीनों में सभी

Choose the *correct* answer from the codes given below :

नीचे दिये गये कूट में से *सही* उत्तर चुनें :

Codes :

कूट :

Options :

a, b, c and d

1. ✓ a, b, c तथा d

a, c and d

2. ✗ a, c तथा d

a, b and c

3. ✓ a, b तथा c

c, b and d

4. ✘ c, b तथा d

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 37 Question Id : 59345216984 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The difference between the expected value of a sample statistic and the estimated value of parameter is called :

नमूना आंकड़ों के अपेक्षित मूल्य और प्राचल के अनुमानित मूल्य के बीच के अन्तर को कहा जाता है :

Options :

Error

1. ✘ त्रुटि

Bias

2. ✔ पूर्वाग्रह

Contradiction

3. ✘ विरोधाभास

Difference

4. ✘ अंतर

Question Number : 38 Question Id : 59345216985 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Among the following, widely used method for extracting factors is :

निम्नलिखित में से, कारकों को निकालने के लिए व्यापक रूप से इस्तेमाल की जाने वाली विधि है :

Options :

Path analysis

1. ✖ पथ विश्लेषण

Discriminant analysis

2. ✖ विभेदक विश्लेषण

Group analysis

3. ✖ समूह विश्लेषण

Principle component analysis

4. ✔ प्रमुख-घटक विश्लेषण


Question Number : 39 Question Id : 59345216986 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Study the following given graph and answer the question :

निम्नलिखित ग्राफ का अध्ययन कीजिए तथा प्रश्न का उत्तर दीजिए :



What was the price difference between commodity A and B in the month of April ?

अप्रैल के महीने में सामग्री A और B के बीच मूल्य का अन्तर क्या था ?

Options :

1. ✘ 250
2. ✔ 150
3. ✘ 100
4. ✘ 90


Question Number : 40 Question Id : 59345216987 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Study the following given graph and answer the question :

निम्नलिखित ग्राफ का अध्ययन कीजिए तथा प्रश्न का उत्तर दीजिए :



What was the difference in average price between commodity A and B from April to August ?

अप्रैल से अगस्त तक सामग्री A और B के औसत मूल्य में कितना अन्तर था ?

Options :

1. ✘ 90

2. ✘ 86

3. ✘ 95

4. ✔ 75

Subject_&_Area Concerned

| | |
|--|-----------|
| Section Id : | 593452304 |
| Section Number : | 2 |
| Section type : | Online |
| Mandatory or Optional : | Mandatory |
| Number of Questions : | 60 |
| Number of Questions to be attempted : | 60 |
| Section Marks : | 180 |
| Enable Mark as Answered Mark for Review and Clear Response : | Yes |
| Maximum Instruction Time : | 0 |
| Sub-Section Number : | 1 |
| Sub-Section Id : | 593452332 |
| Question Shuffling Allowed : | Yes |

Question Number : 41 Question Id : 59345216988 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

HPV-positive cancers show improved response to therapy when compared to HPV-negative cancers of which sites ?

Options :

1. ✘ Oral cavity
2. ✔ Oropharynx
3. ✘ Nasopharynx
4. ✘ All of the three

Question Number : 42 Question Id : 59345216989 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

All of the following are incision used for parotidectomy *except* :

Options :

1. ✘ Modified blair incision
2. ✘ Lazy S incision
3. ✘ Bailey's incision
4. ✔ Vizor flap incision

Question Number : 43 Question Id : 59345216990 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Minor salivary gland tumors are most commonly found on :

Options :

1. ✘ Buccal mucosa
2. ✔ Hard palate
3. ✘ Soft palate

4. ✘ Nasopharynx

Question Number : 44 Question Id : 59345216991 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

All of the following are pointers of facial nerve in head & neck surgery *except* :

Options :

1. ✘ Tragal pointer
2. ✘ Posterior belly of digastric
3. ✘ Bony cartilaginous junction of inferior external auditory canal
4. ✔ Anterior belly of digastrics

Question Number : 45 Question Id : 59345216992 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Crocodile tear is associated with :

Options :

1. ✘ Total thyroidectomy

2. ✘ Parotid adenoma excision
3. ✔ Parotidectomy
4. ✘ All of the three

Question Number : 46 Question Id : 59345216993 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is the most common late sequela after radiation therapy to the head & neck ?

Options :

1. ✘ Osteoradionecrosis
2. ✘ Feeding tube dependence
3. ✔ Hypothyroidism
4. ✘ Brachial plexopathy

Question Number : 47 Question Id : 59345216994 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Step ladder incision is used in :

Options :

1. ✘ Sistrunk operation
2. ✘ Submandibular gland excision
3. ✔ Branchial sinus excision
4. ✘ None of the three

Question Number : 48 Question Id : 59345216995 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

What innervates the cricothyroid muscle ?

Options :

1. ✘ Recurrent laryngeal nerve
2. ✔ External branch of superior laryngeal nerve
3. ✘ Internal branch of superior laryngeal nerve
4. ✘ Glossopharyngeal nerve

Question Number : 49 Question Id : 59345216996 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The cavernous sinus lateral wall contains :

Options :

1. ✘ Cranial nerves (CNs) III, IV, V2, V3, VI
2. ✘ CNs IV, V-1, V-2 and VI
3. ✔ CNs III, IV, V-1, V-2
4. ✘ CNs III, IV, V-1, V-2 & VI

Question Number : 50 Question Id : 59345216997 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The radiological demarcation between Level I & Level II in the neck is :

Options :

1. ✔ A vertical line through the posterior border of the submandibular gland.
2. ✘ Posterior belly of digastric muscle.
3. ✘ The mylohyoid muscle.

4. ✘ A vertical line through the tip of the greater corner of the hyoid bone.

Question Number : 51 Question Id : 59345216998 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Horizontal craniofacial dislocation is seen in which of the following facial trauma ?

Options :

1. ✘ Le-fort I fracture
2. ✘ Le-fort II fracture
3. ✔ Le-fort III fracture
4. ✘ Naso-orbital-ethmoid complex fracture

Question Number : 52 Question Id : 59345216999 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Regarding paranasal sinus anatomy, which of the following statement is *correct* ?

Options :

1. ✘ The sphenoid ostium should be safely opened inferiolaterally.

2. ✓ A Haller cell exists between the maxillary sinus and the floor of the orbit.

3. ✘ The anterior and middle ethmoidal cells are innervated by the maxillary division of the trigeminal nerve.

4. ✘ The inter-sphenoidal septum may insert into the external carotid artery.

Question Number : 53 Question Id : 59345217000 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A 66 year old patient has 2 cm × 2 cm sized squamous cell carcinoma of lower lip in midline. What is the most common lymph node group at risk ?

Options :

1. ✘ Submandibular lymph nodes

2. ✓ Submental nodes

3. ✘ Level II nodes

4. ✘ Level III nodes

Question Number : 54 Question Id : 59345217001 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A 54 year old female presented with positional vertigo for 2 months which lasts for few seconds to minutes. Dix hallpike test was performed. What is the angle at which the head was turned to the test side by the resident doctor during this procedure ?

Options :

1. ✘ 30 degree
2. ✔ 45 degree
3. ✘ 60 degree
4. ✘ 15 degree

Question Number : 55 Question Id : 59345217002 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A 68 year old male patient who recently recovered from Covid-19 infection developed sudden onset of right facial swelling and protrusion of eye. Management includes all of the following *except* :

Options :

1. ✘ Nasal endoscopic examination
2. ✘ Tissue biopsy for microbiological & histopathological studies
3. ✔ Systemic & intranasal steroids

4. ✖ CT, MRI of nose/PNS/orbit

Question Number : 56 Question Id : 59345217003 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

6 year old boy came with painless slowly growing swelling in the neck below the level of hyoid. It moves with the protrusion of tongue. Which of the following is false regarding this condition ?

Options :

1. ✖ Ultrasound is the investigation of choice
2. ✖ Surgery is the main stay of treatment
3. ✔ Malignant transformation is possible in 40% of cases
4. ✖ Can present as lateral neck swelling in some cases

Question Number : 57 Question Id : 59345217004 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A 76 year old women presents to your office with 1 cm × 1 cm flat pink lesion on the right cheek, close to lower eye lid. A full thickness biopsy is consistent with Melanoma in situ. Which of the following is *true* ?

Options :

1. ✘ Melanoma in situ is called as Lentigo Maligna
2. ✘ Melanoma in situ is called as Lentigo Maligna melanoma
3. ✘ Melanoma in situ is called as Hutchinson's freckle

Melanoma in situ is called as Lentigo Maligna & Melanoma in situ is called as

4. ✔ Hutchinson's freckle are true

Question Number : 58 Question Id : 59345217005 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A 36 year old female singer under went total thyroideclomy for graves disease. Following the surgery, patient recovered well and when she started resuming singing, she observed that she could not reach high pitched sounds as good as before the surgery which muscle(s), innervation is/are damaged in the surgery ?

Options :

1. ✘ Abductor
2. ✘ Adductor
3. ✔ Tensor
4. ✘ Abductor & Adductor

Question Number : 59 Question Id : 59345217006 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A 33 year old male patient is referred for painless diffuse swelling at the angle of mandible. A panoramic X-ray film of mandible shows a multilocular radiolucent lesion resembling a soap bubble & slight expansion of buccal plate in the posterior mandible. The most likely diagnosis is :

Options :

1. ✘ Cementoblastoma
2. ✘ Odontogenic fibroma
3. ✔ Ameloblastoma
4. ✘ Complex odontoma

Question Number : 60 Question Id : 59345217007 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Phelp sign is seen in :

Options :

1. ✘ Otosclerosis
2. ✔ Glomus tumor

3. ✘ Meniere disease

4. ✘ CSOM

Question Number : 61 Question Id : 59345217008 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following landmark in ear surgery is resistant to cholesteratome ?

Options :

1. ✘ Head of malleus

2. ✘ Long process of incus

3. ✔ Cochleariform process

4. ✘ Stapes supra structure

Question Number : 62 Question Id : 59345217009 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A 25 years old female came to E. N. T., O. P. D. with complaints of B/L hearing loss and also complaints of better hearing when ever they play music in loudspeaker near her house. What will be the most probable diagnosis ?

Options :

1. ✘ Vestibular schwannoma
2. ✘ Endolymphatic hydrops
3. ✘ Presbycusis
4. ✔ Otosclerosis

Question Number : 63 Question Id : 59345217010 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following cranial nerve is involved in Gradenigo's syndrome ?

Options :

1. ✘ 4th
2. ✔ 6th
3. ✘ 8th
4. ✘ 11th

Question Number : 64 Question Id : 59345217011 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Temporal fascia is used in tympanoplasty operation because of all the following reasons *except* :

Options :

1. ✘ It is closer to the ear
2. ✘ It is easy to remove
3. ✔ Its metabolic rate is high
4. ✘ Its consistency is same as that of tympanic membrane

Question Number : 65 Question Id : 59345217012 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following statements are *correct* about the facial nerve ?

- (a) It is mixed nerve having a motor & sensory root
- (b) Sensory root of facial nerve is known as nerve of wrisberg
- (c) Nerve of wrisberg supplies lacrimal gland and salivary gland
- (d) Motor fibers take their origin from the nucleus of VII nerve, hook around the nucleus of V nerve, and joined by sensory root

Options :

1. ✔ only a, b, c are correct

2. ✘ only d is correct
3. ✘ a, b, c, d are correct
4. ✘ only a is correct

Question Number : 66 Question Id : 59345217013 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A 40 year old male patient following injury presents with normal schirmer test but absent stapedial reflex on right side. Approximate site of facial nerve injury is :

Options :

1. ✘ Intrameatal
2. ✔ Horizontal part
3. ✘ Vertical part
4. ✘ At stylomastoid foramen

Question Number : 67 Question Id : 59345217014 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Frey's syndrome is caused by :

Options :

- Aberrant reinnervation of parasympathetic fibres of auriculotemporal nerve with
1. ✓ sympathetic sweat glands
 2. ✘ Aberrant reinnervation of parasympathetic fibres of auriculotemporal nerve with greater superficial petrosal nerve
 3. ✘ Abnormal cross innervations of facial nerve with greater auricular nerve
 4. ✘ Abnormal cross innervations of facial nerve with auriculotemporal nerve

Question Number : 68 Question Id : 59345217015 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

21 year old female came to your clinic with a complaint of hearing loss. On series of examinations, you found that the patient is malingering. Which one of the following test is used to detect malingering ?

Options :

1. ✓ Stenger test
2. ✘ Bing test
3. ✘ Weber test
4. ✘ Rinne test

Question Number : 69 Question Id : 59345217016 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A neonate affected by Jaundice was brought to E. N. T., O. P. D. to evaluate for risk of hearing loss. Which one is best test for evaluation of hearing ?

Options :

1. ✘ OAE
2. ✔ BERA
3. ✘ P.T.A.
4. ✘ Impedance

Question Number : 70 Question Id : 59345217017 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A 50 year old male patient came to E.N.T., O.P.D. with complaint of giddiness while waking up from the bed. The patient developed nystagmus in Dix-Hallpike manoeuvre. Which semicircular canal is involved in this ?

Options :

1. ✘ Horizontal semi circular canal
2. ✔ Posterior semi circular canal

3. ✘ Superior semi circular canal

4. ✘ All are equally involved

Question Number : 71 Question Id : 59345217018 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Inner ear is present in which bone ?

Options :

1. ✘ Parietal part of temporal bone

2. ✘ Petrous part of squamous bone

3. ✘ Occipital part of temporal bone

4. ✔ Petrous part of temporal bone

Question Number : 72 Question Id : 59345217019 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following statement is *correct* regarding embryology of the ear ?

- (a) Pinna develops from 1st & 2nd pharyngeal arches
- (b) Adult configuration of pinna is achieved by the 9th month of intrauterine life
- (c) Malleus & incus develop from 1st Arch
- (d) Stapes foot plate develop from otic capsule

Options :

- 1. ✘ Only a, b & c are correct
- 2. ✘ Only a, b, d are correct
- 3. ✔ Only a, c, d are correct
- 4. ✘ All of the three

Question Number : 73 Question Id : 59345217020 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

35 year old male came to ENT OPD with complaints of fluctuating hearing loss with giddiness while hearing loud sounds. Patient also complaints of hearing the same sound in two different frequencies. Which of the following test is a confirmatory for this condition ?

Options :

- 1. ✘ Tuning fork test
- 2. ✔ Electro cochleography

3. ✘ Tympanometry

4. ✘ Pure tone audiometry

Question Number : 74 Question Id : 59345217021 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is situated most anteriorly in CT, PNS, coronal plane ?

Options :

1. ✘ Agger Nasi

2. ✘ Haller cell

3. ✘ Maxillary sinus

4. ✔ Frontal sinus

Question Number : 75 Question Id : 59345217022 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

All are true of nasal ciliary beating *except* :

Options :

1. ✓ 10% saline solution application enhances the movement
2. ✘ Frequency ranges between 7-16 Hz
3. ✘ An active process
4. ✘ Stops below the temperature of 10°C

Question Number : 76 Question Id : 59345217023 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Gold standard diagnostic method for detection of allergen in cases with allergic rhinitis :

Options :

1. ✘ Skin prick test
2. ✓ Nasal allergen challenge test
3. ✘ RAST
4. ✘ None of the three

Question Number : 77 Question Id : 59345217024 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Bent and Kuhn classification of allergic fungal rhinosinusitis includes the following as major criteria *except* :

Options :

1. ✘ Positive fungal stain
2. ✔ Fungal culture
3. ✘ Nasal polyposis
4. ✘ Double density sign on CT scan

Question Number : 78 Question Id : 59345217025 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Most common benign tumor of paranasal sinuses is :

Options :

1. ✘ Ossifying fibroma
2. ✔ Osteoma
3. ✘ Fibrous dysplasia
4. ✘ None of the three

Question Number : 79 Question Id : 59345217026 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

All are true about nasal septal perforation *except* :

Options :

1. ✘ Trauma is the most common cause
2. ✔ Mostly symptomatic
3. ✘ Small & medium sized perforations can be reliably closed by surgery
4. ✘ Can be associated with long term application of topical corticosteroids

Question Number : 80 Question Id : 59345217027 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Jarjavay's fracture is the other name given to :

Options :

1. ✘ Class I nasal bone fracture
2. ✘ Class III nasal bone fracture
3. ✔ Class II nasal bone fracture
4. ✘ Mandible condylar neck fracture

Question Number : 81 Question Id : 59345217028 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Foster-kennedy syndrome is associated with the following *except* :

Options :

1. ✘ Ipsilateral anosmia
2. ✔ Ipsilateral papilledema
3. ✘ Ipsilateral optic atrophy
4. ✘ Raised intracranial pressure

Question Number : 82 Question Id : 59345217029 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Complications of adenoidectomy include :

Options :

1. ✘ Infection
2. ✘ Velopharyngeal dysfunction
3. ✘ Grisel syndrome

4. ✓ All of the three

Question Number : 83 Question Id : 59345217030 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Anti-cholinergic (Topical ipratrobium bromide) is used in the treatment of :

Options :

1. ✘ Allergic rhinitis
2. ✘ Eosinophitic vasomotor rhinitis
3. ✓ Non-eosinophilic vasomotor rhinitis
4. ✘ Acute rhinitis

Question Number : 84 Question Id : 59345217031 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The external nose shape is maintained by skeletal framework which is composed of :

Options :

1. ✘ Cartilage only
2. ✓ Bony in upper 1/3 & cartilaginous in lower 2/3

3. ✘ Bony in upper 2/3 & cartilaginous in lower 1/3

4. ✘ Bony in upper 1/2 & cartilaginous in lower 1/2

Question Number : 85 Question Id : 59345217032 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A ten year old girl presented with pain between the eyes, frontal headach, discharge from nose, post nasal drip and high grade fever. What can be the provisional diagnosis ?

Options :

1. ✘ Acute frontal sinusitis

2. ✔ Acute ethmoidal sinusitis

3. ✘ Acute sphenoidal sinusitis

4. ✘ Sphenoidal tumor

Question Number : 86 Question Id : 59345217033 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A healthy 15 years male patient presented to ENT OPD with right sided nasal obstruction, foul smelling & blood stained discharge. The most likely diagnosis is :

Options :

1. ✘ Angiofibroma
2. ✘ Antrochoanal polyp
3. ✘ Squamous cell carcinoma of nose
4. ✔ Rhinolith

Question Number : 87 Question Id : 59345217034 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Sluder's Neuralgia :

Options :

1. ✔ Decongestants resolves the pain temporarily
2. ✘ It is synonymous to posterior ethmoidal neuralgia
3. ✘ Pain localized on both sides of face
4. ✘ Due to compression of deviated septum & inferior turbinate

Question Number : 88 Question Id : 59345217035 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which is *not* considered a content of posterior triangle of the neck ?

Options :

1. ✓ Subclavian artery (IInd part)
2. ✗ Root of branchial plexus
3. ✗ Spinal accessory nerve
4. ✗ Branches of cervical plexus

Question Number : 89 Question Id : 59345217036 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Lymphoid tissue surrounding the tubal orifice of Eustachian tube is known as :

Options :

1. ✗ Lushka's tonsil
2. ✓ Gerlach's tonsil
3. ✗ Palatine tonsil
4. ✗ Lingual tonsil

Question Number : 90 Question Id : 59345217037 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Most common cause of oro-antral fistula is :

Options :

1. ✘ Syphilis
2. ✘ Malignancy
3. ✔ Dental extraction
4. ✘ Trauma

Question Number : 91 Question Id : 59345217038 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which is the only unpaired muscle of larynx ?

Options :

1. ✘ Posterior cricothyroid
2. ✘ Cricothyroid
3. ✔ Transvers arytenoid
4. ✘ Lateral cricoarytenoid

Question Number : 92 Question Id : 59345217039 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The law that stated in vocal cord palsy is :

Options :

1. ✘ Alexander's law
2. ✔ Semon's law
3. ✘ Talbat's law
4. ✘ Manuel law

Question Number : 93 Question Id : 59345217040 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A carotid body tumor is likely to receive its major blood supply from which vessels ?

Options :

1. ✘ Common carotid artery
2. ✔ Ascending pharyngeal artery
3. ✘ Superior thyroid artery
4. ✘ Thyrocervical trunk

Question Number : 94 Question Id : 59345217041 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is *false* regarding frontal sinusitis ?

Options :

1. ✘ Pain shows periodicity
2. ✔ Most common sinus involved in infants & children
3. ✘ Tenderness is present just above the medial canthus of eye
4. ✘ Pain is referred to as office headache

Question Number : 95 Question Id : 59345217042 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The most common site of CSF leak in none :

Options :

1. ✘ Sphenoid sinus
2. ✘ Frontal sinus
3. ✔ Ethmoidal sinus

4. ✘ Tegmen tympani

Question Number : 96 Question Id : 59345217043 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Nasal valve is formed by :

Options :

1. ✘ Upper lateral cartilage
2. ✘ Lower lateral cartilage
3. ✔ Lower end of upper lateral cartilage
4. ✘ Upper end of lower lateral cartilage

Question Number : 97 Question Id : 59345217044 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Most common fractured bone :

Options :

1. ✘ Naso ethmoidal bone
2. ✔ Nasal bone

3. ✘ Zygomatic bone

4. ✘ Mandible

Question Number : 98 Question Id : 59345217045 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Tripod fracture is seen in :

Options :

1. ✘ Mandible

2. ✘ Maxilla

3. ✘ Nasal bone

4. ✔ Zygoma

Question Number : 99 Question Id : 59345217046 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Where are the electrodes placed in cochlear implant surgery ?

Options :

1. ✘ Round window

2. ✘ Oval window
3. ✘ Scala Vestibulie
4. ✔ Scala tympanie

Question Number : 100 Question Id : 59345217047 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

While doing posterior tympanotomy through the facial recess there are chances of injury to the following *except* ?

Options :

1. ✔ Facial nerve horizontal part
2. ✘ Chorda tympani nerve
3. ✘ Dislodgement of short process of incus from fossa incudis
4. ✘ Vertical descending part of facial nerve