

# Banaras Hindu University

## Notations :

- 1.Options shown in green color and with ✓ icon are correct.
- 2.Options shown in red color and with ✗ icon are incorrect.

<b>Question Paper Name :</b>	655 16th Mar 2022 Shift 3
<b>Subject Name :</b>	655
<b>Creation Date :</b>	2022-03-16 19:31:09
<b>Duration :</b>	120
<b>Total Marks :</b>	300
<b>Display Marks:</b>	Yes
<b>Share Answer Key With Delivery Engine :</b>	Yes
<b>Actual Answer Key :</b>	Yes
<b>Calculator :</b>	None
<b>Magnifying Glass Required? :</b>	No
<b>Ruler Required? :</b>	No
<b>Eraser Required? :</b>	No
<b>Scratch Pad Required? :</b>	No
<b>Rough Sketch/Notepad Required? :</b>	No
<b>Protractor Required? :</b>	No
<b>Show Watermark on Console? :</b>	Yes
<b>Highlighter :</b>	No
<b>Auto Save on Console?</b>	No
<b>Change Font Color :</b>	No
<b>Change Background Color :</b>	No
<b>Change Theme :</b>	No
<b>Help Button :</b>	No
<b>Show Reports :</b>	No
<b>Show Progress Bar :</b>	No

## RET\_Pharmacology

Group Number :	1
Group Id :	593452107
Group Maximum Duration :	0
Group Minimum Duration :	120
Show Attended Group? :	No
Edit Attended Group? :	No
Break time :	0
Group Marks :	300
Is this Group for Examiner? :	No
Examiner permission :	Cant View
Show Progress Bar? :	No

## Research\_Methodology

Section Id :	593452209
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	40
Number of Questions to be attempted :	40
Section Marks :	120
Enable Mark as Answered Mark for Review and Clear Response :	Yes
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	593452237
Question Shuffling Allowed :	Yes

Question Number : 1 Question Id : 59345212248 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

What is a Research Design ?

शोध अभिकल्प क्या है ?

Options :

A way of conducting research that is not grounded in theory.

1. ✘ शोध संचालन का एक तरीका, जो सिद्धांत पर आधारित न हो।

The choice between using qualitative or quantitative methods.

2. ✘ गुणात्मक या परिमाणात्मक पद्धतियों के उपयोग के मध्य चुनाव।

The style in which you present your research findings e.g. a graph.

3. ✘ वह शैली जिसमें आप अपने शोध खोजों को प्रस्तुत करते हैं; जैसे - ग्राफ।

A framework for every stage of the collection and analysis of data.

4. ✔ आँकड़ों के संकलन और विश्लेषण के प्रत्येक स्तर के लिए एक ढाँचा।

**Question Number : 2 Question Id : 59345212249 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The study design of collecting data at a particular point of time is called :

किसी विशेष समय बिन्दु पर आँकड़े संग्रहण करने वाला अध्ययन अभिकल्प कहलाता है :

Options :

Cohort study

1. ✘ सहगण अध्ययन (कोहार्ट स्टडी)

Trend study

2. ✘ प्रवृत्ति अध्ययन

Cross sectional study

3. ✔ प्रतिनिध्यात्मक (समकालीन) अध्ययन

Longitudinal study

4. ✘ अनुदैर्घ्य (दीर्घकालिक) अध्ययन

**Question Number : 3 Question Id : 59345212250 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The value of middle position in a distribution of values is called :

मूल्यों के वितरण में मध्य स्थिति का मान कहलाता है :

Options :

Mean

1. ✘ माध्य

Median

2. ✔ माध्यिका

Mode

3. ✖ बहुलक

Mid-point

4. ✖ मध्य-बिन्दु

**Question Number : 4 Question Id : 59345212251 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

In order to pursue research, which of the following is priorly required ?

शोध को आगे बढ़ाने के लिए, निम्नलिखित में से किसकी पहले आवश्यकता होती है ?

**Options :**

Develop a research design

1. ✖ शोध अभिकल्प का विकास

Formulate research questions

2. ✔ शोध प्रश्नों का निर्माण

Deciding about the data analysis procedure

3. ✖ आंकड़ा विश्लेषण प्रक्रिया के बारे में निर्णय लेना

Formulating a research hypothesis

4. ✖ शोध परिकल्पना का निर्माण करना

**Question Number : 5 Question Id : 59345212252 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following is a basis of the quality of a research journal ?

निम्नलिखित में से किसी शोध पत्रिका की गुणवत्ता का आधार कौन है ?

**Options :**

Impact factor

1. ✓ प्रभाव गुण

h-index

2. ✘ एच-इंडेक्स

g-index

3. ✘ जी-इंडेक्स

i10-index

4. ✘ i10-इंडेक्स

**Question Number : 6 Question Id : 59345212253 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

If the population is heterogeneous, which one of the following probability sampling methods will be suitable ?

यदि जनसंख्या विजातीय है, तो निम्नलिखित में से कौन-सी सम्भाव्यता प्रतिदर्श विधि अधिक उपयुक्त होगी ?

Options :

- 1. ✘ Sequential sampling  
क्रमानुसार प्रतिचयन
- 2. ✘ Quota sampling  
कोटा प्रतिचयन
- 3. ✘ Double sampling  
दोहरा प्रतिचयन
- 4. ✔ Stratified sampling  
स्तरीकृत प्रतिचयन

Question Number : 7 Question Id : 59345212254 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Manipulation is a part of :

प्रहस्तन ..... का एक हिस्सा है।

Options :

- 1. ✘ Historical research  
ऐतिहासिक शोध

- Fundamental research  
2. ✘ मौलिक शोध
- Descriptive research  
3. ✘ वर्णनात्मक शोध
- Experimental research  
4. ✔ प्रायोगिक शोध

**Question Number : 8 Question Id : 59345212255 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

p-value stands for :

पी-मूल्य से तात्पर्य है :

**Options :**

- Probability value  
1. ✔ सम्भाव्य मूल्य
- Preference value  
2. ✘ वरीयता मूल्य
- Pre-determined value  
3. ✘ पूर्व-निर्धारित मूल्य



Prescribed value

4. ✖ नियत मूल्य

**Question Number : 9 Question Id : 59345212256 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

$R^2$  is known as the :

$R^2$  को ..... के रूप में जाना जाता है।

Options :

Coefficient of determination

1. ✔ निर्धारण का गुणांक

Multiple correlation coefficient

2. ✖ बहु-सहसम्बन्ध गुणांक

Partial correlation coefficient

3. ✖ आंशिक सहसम्बन्ध गुणांक

Semi-partial correlation coefficient

4. ✖ अर्ध-आंशिक सहसम्बन्ध गुणांक

**Question Number : 10 Question Id : 59345212257 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Rejection of null hypothesis, when it is true, leads to :

शून्य परिकल्पना अस्वीकृत हो जाये जबकि यह सत्य है ..... को इंगित करती है।

Options :

Sampling Error

1. ✖ प्रतिचयन त्रुटि

Type II Error

2. ✖ टाइप II त्रुटि

Type I Error

3. ✔ टाइप I त्रुटि

Estimation Error

4. ✖ अनुमान त्रुटि

Question Number : 11 Question Id : 59345212258 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is first stage in Grounded Theory data analysis :

निम्नलिखित में से ग्राउंडेड थ्योरी के आँकड़ा विश्लेषण का प्रथम चरण कौन-सा होता है ?

Options :

Examination

1. ✘ परीक्षण

Open coding

2. ✔ खुली कूट संकेतन

Retardation

3. ✘ अवरोध

Comparison

4. ✘ तुलना

**Question Number : 12 Question Id : 59345212259 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The area of the rejection region for a two-tailed test in comparison with area of the one-tailed test for the same level of significance will be :

सार्थकता के समान स्तर के लिए एक-पुच्छीय परीक्षण के अस्वीकृति क्षेत्र की तुलना में द्वि-पुच्छीय परीक्षण का क्षेत्र :

**Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.**

Options :

Smaller

1. छोटा होगा

- Same
2. समान होगा
- Larger
3. बड़ा होगा
- One-fourth
4. एक चौथाई होगा

**Question Number : 13 Question Id : 59345212260 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Basic research is :

मौलिक शोध होता है :

Options :

- Practical and descriptive
1. ✖ व्यावहारिक और वर्णनात्मक
- Client-driven
2. ✖ ग्राहक-प्रेरित
- Expands current knowledge
3. ✔ वर्तमान ज्ञान का विस्तार करने वाला
- Advancement of technology
4. ✖ प्रौद्योगिकी में उन्नति लाने वाला

**Question Number : 14 Question Id : 59345212261 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The technique in which an individual is presented with a stimulus and asked to respond with the first thing that comes to mind is known as :

वह तकनीक जिसमें व्यक्ति के सामने एक उत्तेजना प्रस्तुत की जाती है और पहली बात जो दिमाग में आती है, उसका जवाब देने के लिए कहा जाता है, को जाना जाता है :

**Options :**

Completion techniques

1. ✘ पूर्ति तकनीक

Focus groups

2. ✘ केंद्रित समूह

Association techniques

3. ✔ साहचर्य तकनीक

In depth interviews

4. ✘ गहन साक्षात्कार

**Question Number : 15 Question Id : 59345212262 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

An Independent variable is defined as :

एक स्वतंत्र चर को परिभाषित किया जाता है :

Options :

- Change variable
1. ✓ परिवर्तनशील चर
- Confounding variable
2. ✘ भ्रमित चर
- Extraneous variable
3. ✘ वाह्य चर
- Outcome variable
4. ✘ परिणाम चर

Question Number : 16 Question Id : 59345212263 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one of the following statements is *false* for Research ?

निम्नलिखित में से कौन-सा कथन अनुसंधान के लिए *गलत* है ?

Options :

- Research design is a logical and systematic plan for a research study
1. ✘ अनुसंधान अभिकल्प शोध अध्ययन के लिए एक तार्किक और व्यवस्थित योजना है

Applied research is conducted to solve theoretical problems

2. ✓ सैद्धान्तिक समस्याओं को हल करने के लिए व्यावहारिक अनुसंधान किया जाता है

The basic research is also called as fundamental research

3. ✖ मूल शोध को मौलिक शोध भी कहा जाता है

A hypothesis is a statement that is tested for its validity

4. ✖ परिकल्पना एक कथन है जिसकी वैधता का परीक्षण किया जाता है

**Question Number : 17 Question Id : 59345212264 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A researcher has administered some drug for management of diabetes for 4 weeks in a group and measured pre and post data for blood glucose level. Which statistical tool will be used to analyze data ?

एक शोधकर्ता ने एक समूह में 4 सप्ताह के लिए मधुमेह के प्रबंधन के लिए कुछ दवा दी है और रक्त शर्करा के पूर्व और बाद के स्तरों का मापन किया। प्राप्त आँकड़ों के विश्लेषण के लिए किस सांख्यिकीय विधि का उपयोग किया जाएगा ?

**Options :**

Paired 't' test

1. ✓ युग्मित टी-परीक्षण

Independent t-test

2. ✖ स्वतंत्र टी-परीक्षण

ANOVA test

3. ✖ एनोवा परीक्षण

Chi-square test

4. ✖ काई-वर्ग परीक्षण

**Question Number : 18 Question Id : 59345212265 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following is a qualitative variable ?

निम्न में से कौन एक गुणात्मक चर है ?

Options :

Colour of hair

1. ✔ बालों का रंग

Body weight

2. ✖ शारीरिक भार

Body height

3. ✖ शारीरिक ऊँचाई

Percentage of haemoglobin

4. ✖ हीमोग्लोबिन का प्रतिशत



**Question Number : 19 Question Id : 59345212266 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A researcher should consider which of the following to prepare good research proposal ?

एक शोधकर्ता को अच्छा शोध प्रस्ताव तैयार करने के लिए निम्नलिखित में से किस पर विचार करना चाहिए ?

- (a) Research question should be novel  
शोध प्रश्न नवीन होना चाहिए
- (b) Research protocol should be ethical and relevant  
अनुसंधान प्रोटोकॉल नैतिक और प्रासंगिक होना चाहिए
- (c) Research question should be interesting and feasible  
शोध प्रश्न दिलचस्प और व्यवहार्य होना चाहिए
- (d) Researcher should consider only his/her own interest and benefit  
शोधकर्ता को केवल अपनी स्वयं की रुचि एवम लाभ पर विचार करना चाहिए

Options :

- a & d are correct  
1. ✖ a और d सही हैं
- c & d are incorrect  
2. ✖ c और d गलत हैं
- a, c & d are correct  
3. ✖ a, c और d सही हैं

a, b & c are correct

4. ✓ a, b और c सही हैं

**Question Number : 20 Question Id : 59345212267 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Why reviewing the existing literature is needed ?

मौजूदा साहित्य की समीक्षा करने की आवश्यकता क्यों है ?

Options :

It does not provide references

1. ✘ यह संदर्भों को प्रदान नहीं करता

It does not provide required word-count

2. ✘ आवश्यक शब्द-गणना नहीं देता

To find out what is already known about area of interest

3. ✓ यह जानने के लिए कि रुचि के क्षेत्र के बारे में पहले से क्या ज्ञात है

To help in non-related disciplines

4. ✘ असम्बन्धित विषयों में सहयोग करने के लिए

**Question Number : 21 Question Id : 59345212268 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which one is called non-probability sampling ?

किसे असंभाव्यता प्रतिचयन कहा जाता है ?

Options :

Quota sampling

1. ✓ कोटा प्रतिचयन

Cluster sampling

2. ✘ गुच्छ प्रतिचयन

Systematic sampling

3. ✘ व्यवस्थित प्रतिचयन

Stratified random sampling

4. ✘ स्तरीकृत यादृच्छिक प्रतिचयन

**Question Number : 22 Question Id : 59345212269 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Random error can be effectively handled by :

यादृच्छिक त्रुटि को ..... द्वारा प्रभावी ढंग से नियंत्रित किया जा सकता है ।

Options :

Adequate sample size

1. ✓ उपयुक्त नमूना आकार

Randomisation

2. ✖ यादृच्छीकरण

Blinding

3. ✖ अंधकरण

Representativeness

4. ✖ प्रतिनिधित्व

Question Number : 23 Question Id : 59345212270 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The *correct* definition of h index is :

एच-इंडेक्स की *सही* परिभाषा है :

Options :

Largest number h such that h publications have at least h citations

1. ✔ सबसे बड़ी संख्या h जैसे कि h प्रकाशनों में कम से कम h उद्धरण हों

Lowest number h such that h publications have at least h citations

2. ✖ सबसे कम संख्या h जैसे कि h प्रकाशनों में कम से कम h उद्धरण हों

Total number of citations divided by the total number of publications

3. ✖ उद्धरणों की कुल संख्या को प्रकाशन की कुल संख्या से विभाजित करने पर

Another name for impact factor

4. ✘ प्रभाव कारक का दूसरा नाम

Question Number : 24 Question Id : 59345212271 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is *not* a reference management tool ?

निम्नलिखित में से कौन संदर्भ प्रबंधन उपकरण *नहीं* है ?

Options :

EndNote

1. ✘ एण्डनोट

Zotero

2. ✘ ज़ोटेरो

Mendeley

3. ✘ मेंडले

Scopus

4. ✔ स्कोपस

Question Number : 25 Question Id : 59345212272 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Mean, Median and Mode are :  
माध्य, माध्यिका और बहुलक हैं :

Options :

Measures of dispersion

1. ✖ प्रसरण का मापन

Measures of central tendency

2. ✔ केंद्रीय प्रवृत्ति का मापन

Measures of probability

3. ✖ संभाव्यता का मापन

Sampling methods

4. ✖ प्रतिचयन विधि

**Question Number : 26 Question Id : 59345212273 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

What is the appropriate measure of dispersion to report when median is reported as the measure of central tendency for a given set of data ?

रिपोर्ट करने के लिए विचलन का उपयुक्त उपाय क्या है जब माध्यिका को आँकड़ों के एक समूह के लिए केंद्रीय प्रवृत्ति के मापन के रूप में प्रयुक्त किया जाता है ?

Options :

Standard deviation

1. ✖ मानक विचलन

Interquartile range  
2. ✓ अंतश्चतुर्थक विस्तार

Variance  
3. ✗ विचरण

Coefficient of variance  
4. ✗ विचरण का गुणांक

**Question Number : 27 Question Id : 59345212274 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Open ended group discussion that promotes discussion among participants is called .....

विवृतांग (ओपन एंडेड ग्रुप) चर्चा जो प्रतिभागियों के बीच परिचर्चा को बढ़ावा देते हैं, कहलाते हैं .....

**Options :**

In-depth discussion  
1. ✗ गहन चर्चा

Focus group discussions  
2. ✓ फोकस ग्रुप चर्चा

Participant observation

3. ✖ प्रतिभागी अवलोकन

Structured interviews

4. ✖ संरचित साक्षात्कार

**Question Number : 28 Question Id : 59345212275 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The ability of a tool to correctly measure what it is supposed to measure is called as :

किसी उपकरण/साधन की 'जिस उद्देश्य के मापन के लिए प्रयोग हो रहा है उसे सही-सही मापने की क्षमता' कहलाती है :

**Options :**

Validity

1. ✔ वैधता

Reliability

2. ✖ विश्वसनीयता

Consistency

3. ✖ संगति

Accuracy

4. ✖ सटीकता



**Question Number : 29 Question Id : 59345212276 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

In an experimental study of the effects of time spent on studying on grade, time spent studying would be the :

ग्रेड पर अध्ययन में व्यतीत समय के प्रभावों के एक प्रायोगिक अध्ययन में, अध्ययन में बिताया गया समय होगा :

**Options :**

- Control group
- 1. ✘ नियंत्रण समूह
- Independent variable
- 2. ✔ स्वतंत्र चर
- Experimental group
- 3. ✘ प्रायोगिक समूह
- Dependent variable
- 4. ✘ आश्रित चर

**Question Number : 30 Question Id : 59345212277 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A reasoning where we start with certain particular statements and conclude with a universal statement is called :

एक तर्क जहाँ हम कुछ विशिष्ट कथनों से शुरू करते हैं और एक सार्वभौमिक कथन के साथ निष्कर्ष निकालते हैं, कहलाता है :

Options :

Deductive Reasoning

1. ✘ निगमनात्मक तर्क

Inductive Reasoning

2. ✔ आगमनात्मक तर्क

Abnormal Reasoning

3. ✘ असामान्य तर्क

Transcendental Reasoning

4. ✘ प्राशनुभविक तर्क

Question Number : 31 Question Id : 59345212278 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If a distribution is described as platykurtic, then it is :

यदि किसी वितरण को प्लेटिक्यूरटिक (सपाटक कुर्दी) के रूप में वर्णित किया जाता है, तो वह है :

Options :

Peaked

1. ✘ चोटीदार

- Flat
2. ✓ सपाट
- Bimodal
3. ✘ द्विबाहुलकी
- Thin
4. ✘ पतला

**Question Number : 32 Question Id : 59345212279 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

In a statistical table the row headings are referred to as :

एक सांख्यिकीय तालिका में, पंक्ति शीर्षकों को कहा जाता है :

**Options :**

- Source note
1. ✘ स्रोत नोट
- Captions
2. ✘ कैप्शन (अनुशीर्षक)
- Stubs
3. ✓ स्टब्स (टूठ)

Body

4. ✖ शरीर

**Question Number : 33 Question Id : 59345212280 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following techniques are used to control extraneous variables in research ?

अनुसंधान में बाह्य चरों को नियंत्रित करने के लिए निम्नलिखित में से किस तकनीक का उपयोग किया जाता है ?

Options :

Change of instrument

1. ✖ साधन का परिवर्तन

Randomization

2. ✔ यादृच्छीकरण

Change the research method

3. ✖ अनुसंधान विधियों में परिवर्तन

Parameterization

4. ✖ पैरामीट्रिजेशन (प्राचलीकरण)

**Question Number : 34 Question Id : 59345212281 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following is the information and library network under UGC ?

यूजीसी के तहत निम्नलिखित में से कौन-सा सूचना और पुस्तकालय नेटवर्क है ?

**Options :**

INFLIBNET

1. ✓ इनफिलिबनेट

NISCAIR

2. ✗ निस्केयर

Association of Indian Universities

3. ✗ भारतीय विश्वविद्यालयों का संघ

NAAC

4. ✗ नैक

**Question Number : 35 Question Id : 59345212282 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A research tool consisting of a series of questions is known as :

प्रश्नों की एक शृंखला से युक्त एक शोध उपकरण को कहा जाता है :

**Options :**

Observation schedule

1. ✗ अवलोकन अनुसूची

Interview schedule

2. ✘ साक्षात्कार अनुसूची

Questionnaire

3. ✔ प्रश्नावली

Psychological test

4. ✘ मनोवैज्ञानिक परीक्षण

**Question Number : 36 Question Id : 59345212283 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

What does a good thesis involve ?

एक अच्छी थीसिस में क्या सम्मिलित होता है ?

- (a) Reducing punctuations as well as grammatical errors to minimal level.  
विराम-चिन्हों तथा व्याकरण अशुद्धियों को अल्पतम स्तर तक कम करना।
- (b) Correct reference citation.  
समुचित सन्दर्भ उद्धरण।
- (c) Consistency in the way of thesis writing.  
थीसिस लेखन के तरीके में सुसंगति।
- (d) All of the three  
तीनों में सभी

Choose the *correct* answer from the codes given below :

नीचे दिये गये कूट में से *सही* उत्तर चुनें :

*Codes :*

*कूट :*

**Options :**

a, b, c and d

1. ✓ a, b, c तथा d

a, c and d

2. ✗ a, c तथा d

a, b and c

3. ✓ a, b तथा c

c, b and d

4. ✘ c, b तथा d

**Note:** For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

**Question Number : 37 Question Id : 59345212284 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The difference between the expected value of a sample statistic and the estimated value of parameter is called :

नमूना आंकड़ों के अपेक्षित मूल्य और प्राचल के अनुमानित मूल्य के बीच के अन्तर को कहा जाता है :

**Options :**

Error

1. ✘ त्रुटि

Bias

2. ✔ पूर्वाग्रह

Contradiction

3. ✘ विरोधाभास

Difference

4. ✘ अंतर



**Question Number : 38 Question Id : 59345212285 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Among the following, widely used method for extracting factors is :

निम्नलिखित में से, कारकों को निकालने के लिए व्यापक रूप से इस्तेमाल की जाने वाली विधि है :

**Options :**

Path analysis

1. ✖ पथ विश्लेषण

Discriminant analysis

2. ✖ विभेदक विश्लेषण

Group analysis

3. ✖ समूह विश्लेषण

Principle component analysis

4. ✔ प्रमुख-घटक विश्लेषण


**Question Number : 39 Question Id : 59345212286 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Study the following given graph and answer the question :

निम्नलिखित ग्राफ का अध्ययन कीजिए तथा प्रश्न का उत्तर दीजिए :



What was the price difference between commodity A and B in the month of April ?

अप्रैल के महीने में सामग्री A और B के बीच मूल्य का अन्तर क्या था ?

Options :

1. ✘ 250
2. ✔ 150
3. ✘ 100
4. ✘ 90


Question Number : 40 Question Id : 59345212287 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Study the following given graph and answer the question :

निम्नलिखित ग्राफ का अध्ययन कीजिए तथा प्रश्न का उत्तर दीजिए :



What was the difference in average price between commodity A and B from April to August ?

अप्रैल से अगस्त तक सामग्री A और B के औसत मूल्य में कितना अन्तर था ?

Options :

1. ✘ 90

2. ✘ 86

3. ✘ 95

4. ✔ 75

## Subject\_&\_Area Concerned

Section Id :	593452210
Section Number :	2
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	60
Number of Questions to be attempted :	60
Section Marks :	180
Enable Mark as Answered Mark for Review and Clear Response :	Yes
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	593452238
Question Shuffling Allowed :	Yes

**Question Number : 41 Question Id : 59345212288 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Bioavailability of a drug is nearly 100% when given by route :

Options :

1. ✘ Transdermal
2. ✘ Oral
3. ✘ Inhalation
4. ✔ I.V.

**Question Number : 42 Question Id : 59345212289 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Drug disintegration time is a factor that alters :

**Options :**

1. ✘ Biostandardisation
2. ✔ Bioavailability
3. ✘ Bioequivalence
4. ✘ Bioassay

**Question Number : 43 Question Id : 59345212290 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Iatrogenic disease is :

**Options :**

1. ✘ Antibody induced disease
2. ✘ Pathogen induced disease

3. ✓ Physician induced disease

4. ✘ Patient induced disease

**Question Number : 44 Question Id : 59345212291 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Inert substance used to please the patient is :

**Options :**

1. ✘ Silent drug

2. ✘ Orphan drug

3. ✓ Dummy drug

4. ✘ Pro drug

**Question Number : 45 Question Id : 59345212292 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Phase - 0 clinical trial is design to study :

**Options :**

1. ✘ Dose related response
2. ✔ Pharmacokinetics properties
3. ✘ Drug adverse reaction
4. ✘ Genetic variation in drug action

**Question Number : 46 Question Id : 59345212293 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Drug is introduced to market for human used after :

**Options :**

1. ✔ Phase-IV is available
2. ✘ Phase-III is verified and approved
3. ✘ Ethics committee approval of the trial protocol
4. ✘ Investigator declare that drug is effective

**Question Number : 47 Question Id : 59345212294 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

More objective and widely accepted type of clinical trial is :

**Options :**

1. ✘ Single blind study
2. ✔ Double blind study
3. ✘ Open trial
4. ✘ Multi centric open trial

**Question Number : 48 Question Id : 59345212295 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Adrenaline is a life saving drug in :

**Options :**

1. ✘ Hemorrhagic shock
2. ✔ Anaphylactic shock
3. ✘ Cardiogenic shock
4. ✘ Hypovoluemic shock



**Question Number : 49 Question Id : 59345212296 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Sublingual nitroglycerin is the drug of choice in :

**Options :**

1. ✓ Acute attack of Angina
2. ✘ Chronic heart failure
3. ✘ Acute attack of Bronchial Asthma
4. ✘ Chronic angina

**Question Number : 50 Question Id : 59345212297 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Low dose Aspirin therapy is used as :

**Options :**

1. ✘ Antiulcer
2. ✘ Antipyretic

3. ✓ Antiplatelet

4. ✘ Analgesic

**Question Number : 51 Question Id : 59345212298 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The maximum effect of a drug is defined as :

Options :

1. ✘ Potency

2. ✓ Efficacy

3. ✘ Adversity

4. ✘ Therapeutic index

**Question Number : 52 Question Id : 59345212299 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The first order kinetics describes that :

Options :

1. ✘ A variable fraction of drug is excreted
2. ✘ A constant amount of drug is excreted
3. ✔ A constant fraction of drug is excreted
4. ✘ Excretion depends on the bio-availability

**Question Number : 53 Question Id : 59345212300 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The amount of drug required to form 2.5% solution in 100c.c. is :

**Options :**

1. ✘ 2.5 mg
2. ✘ 25 mg
3. ✘ 250 mg
4. ✔ 2500 mg

**Question Number : 54 Question Id : 59345212301 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The following are the first line anti-tubercular drugs :

**Options :**

1. ✘ INH, rifampicin, pyrazinamide, ciprofloxacin
2. ✘ Ethambutol, INH, rifampicin, kanamycin
3. ✔ INH, pyrazinamide, ethambutol, rifampicin
4. ✘ Pyrazinmide, ethambutol, streptomycin, thionamide

**Question Number : 55 Question Id : 59345212302 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Atropine is :

**Options :**

1. ✘ Adrenergic drug
2. ✘ Antiadrenergic drug
3. ✔ Anticholinergic drug
4. ✘ Cholinergic drug

**Question Number : 56 Question Id : 59345212303 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Pharmacodynamics means the study of drugs :

**Options :**

1. ✘ Metabolism
2. ✘ Absorption
3. ✘ Excretion
4. ✔ Mechanism of action

**Question Number : 57 Question Id : 59345212304 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Preferred route of administration of corticosteroids in bronchial asthma is :

**Options :**

1. ✘ Sublingual
2. ✘ Transdermal

3. ✘ Intravenous

4. ✔ Inhalation

**Question Number : 58 Question Id : 59345212305 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Oral anti-diabetic drug free from hypoglycemic effect is :

**Options :**

1. ✘ Glibenclamide

2. ✘ Tolazamide

3. ✔ Metformin

4. ✘ Nateglinide

**Question Number : 59 Question Id : 59345212306 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Insulin receptor is linked with :

**Options :**

1. ✘ Glucosidase
2. ✘ Hexokinase
3. ✘ Protein Kinase
4. ✔ Tyrosine Kinase

**Question Number : 60 Question Id : 59345212307 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Paracetamol antipyretic action is also due to inhibition of :

**Options :**

1. ✘ COX-1
2. ✘ COX-2
3. ✘ CYP-3A
4. ✔ COX-3

**Question Number : 61 Question Id : 59345212308 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Any research study that prospectively assign human participant or groups of human to one or more health related intervention to evaluate the effect on health outcomes :

**Options :**

1. ✘ Case study
2. ✘ Observational study
3. ✘ Case control study
4. ✔ Clinical trial

**Question Number : 62 Question Id : 59345212309 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

These are the types of clinical trial except :

**Options :**

1. ✘ Prevention trial
2. ✘ Screening trial
3. ✘ Quality of life trial
4. ✔ Exploratory trial



**Question Number : 63 Question Id : 59345212310 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A type of trial in which both the researcher and participant know which treatment is being administered :

Options :

1. ✘ Single blind trial
2. ✘ Double-blind trial
3. ✔ Non blind trial
4. ✘ Double dummy blinded trial

**Question Number : 64 Question Id : 59345212311 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

These are the fundamental principle of ethics except :

Options :

1. ✘ Autonomy
2. ✘ Beneficence and nonmaleficence

3. ✘ Justice

4. ✔ Scientific Significance

**Question Number : 65 Question Id : 59345212312 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The regulatory authority responsible for approval of clinical trial in India is :

**Options :**

1. ✘ ICMR

2. ✘ DST

3. ✔ DCGI

4. ✘ ICMR & DCGI

**Question Number : 66 Question Id : 59345212313 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

These are the steps in adverse drug reaction monitoring except :

**Options :**

1. ✔ Intensive monitoring of studies

2. ✘ Reporting serious ADR
3. ✘ Documentation of ADR in patients medical record
4. ✘ Identification of ADR

**Question Number : 67 Question Id : 59345212314 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The study of distribution and determination of drug related events in populations and application of this study to efficacious drug treatment :

**Options :**

1. ✘ Pharmacoeconomic
2. ✘ Clinical Trial
3. ✘ Adverse drug Monitoring
4. ✔ Pharmacoepidemiology

**Question Number : 68 Question Id : 59345212315 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Rapid development of tolerance when dose of a drug repeated in quick succession, mark reduction in response :

Options :

1. ✘ Drug resistance
2. ✘ Drug dependence
3. ✔ Tachyphylaxis
4. ✘ Refractoriness

**Question Number : 69 Question Id : 59345212316 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

All these are the steps for general detoxification and supportive measure except :

Options :

1. ✘ Resuscitation
2. ✔ Slow elimination of drug
3. ✘ Termination of exposure of drug
4. ✘ Prevention of absorption of ingested poisons

**Question Number : 70 Question Id : 59345212317 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

All these statement about atropine are true except :

**Options :**

1. ✓ Atropine inhibits medullary centres : vagal, respiratory, vasomotor
2. ✘ It depresses vestibular excitation motion sickness property
3. ✘ High dose causes cortical excitation and restlessness, disorientation, hallucination
4. ✘ It suppresses tremor and rigidity in parkinsonism

**Question Number : 71 Question Id : 59345212318 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

All these are the uses of Beta blocker except :

**Options :**

1. ✘ Hypertension
2. ✘ Papaverine induced penile erection therapy for Impotence
3. ✘ Benign hypertrophy of prostate

4. ✓ Bronchial asthma

**Question Number : 72 Question Id : 59345212319 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

All these are the second generation anti histamines except :

Options :

1. ✓ Cinnarizine
2. ✗ Levocetirizine
3. ✗ Azelastine
4. ✗ Loratadine

**Question Number : 73 Question Id : 59345212320 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Ibuprofen is indicated for all except :

Options :

1. ✗ Analgesic and antipyretic in the same way as low dose aspirin

2. ✓ Migraine

3. ✘ Rheumatoid arthritis

4. ✘ Dysmenorrhea

**Question Number : 74 Question Id : 59345212321 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Adrenergic drugs which causes bronchodilatation through Beta 2 receptor stimulation :

**Options :**

1. ✓ Formoterol

2. ✘ Theophylline

3. ✘ Sodium cromoglycate

4. ✘ Zafirlukast

**Question Number : 75 Question Id : 59345212322 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Corticosteroids are used in :

**Options :**

1. ✘ Osteoporosis
2. ✔ Rheumatoid arthritis
3. ✘ Herpes simplex keratitis
4. ✘ Epilepsy

**Question Number : 76 Question Id : 59345212323 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Bisphosphonate causes :

**Options :**

1. ✘ Accelerated apoptosis of osteoclasts reducing their number
2. ✘ Disruption of cytoskeleton and ruffled border of osteoclast
3. ✘ Affect osteoclast precursor and inhibit differentiation by suppressing IL-6
4. ✔ All of three

**Question Number : 77 Question Id : 59345212324 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**



**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Flumazenil is :

**Options :**

1. ✘ Benzodiazepine
2. ✘ Barbiturate
3. ✔ Benzodiazepine antagonist
4. ✘ Barbiturate antagonist

**Question Number : 78 Question Id : 59345212325 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

These are the adverse effect of Phenytoin except :

**Options :**

1. ✘ Gum hypertrophy
2. ✔ Iron deficiency anaemia
3. ✘ Osteomalacia
4. ✘ Fetal hydantoin syndrome

**Question Number : 79 Question Id : 59345212326 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Naloxone is an specific antidote for :

**Options :**

1. ✘ Atropine poisoning
2. ✘ Benzodiazepine withdrawal
3. ✘ Organophosphate poisoning
4. ✔ Acute Morphine poisoning

**Question Number : 80 Question Id : 59345212327 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

These are the properties of Nitrous oxide except :

**Options :**

1. ✘ Poor Muscle relaxant
2. ✔ Delayed Induction and recovery
3. ✘ Very good analgesic

4. ✖ Weak Anaesthetic

**Question Number : 81 Question Id : 59345212328 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Excessive beta activation does not cause :

**Options :**

1. ✔ Inhibition of calcium release from sarcoplasmic reticulum
2. ✖ Increases caspases
3. ✖ Leakage of calcium from sarcoplasmic reticulum
4. ✖ Apoptosis

**Question Number : 82 Question Id : 59345212329 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Levosimendane causes :

**Options :**

1. ✖ Sensitizes the troponin system to calcium

2. ✘ Inotropic

3. ✘ Phosphodiesterase inhibitor

4. ✔ All of three

**Question Number : 83 Question Id : 59345212330 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Thiazide does not cause :

**Options :**

1. ✘ Magnesium depletion

2. ✘ Hypercalcemia

3. ✔ Hypocalcemia

4. ✘ Hyperglycemia

**Question Number : 84 Question Id : 59345212331 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

All of the following act through nuclear receptor except :

**Options :**

1. ✘ Vitamin D
2. ✘ Thyroid
3. ✔ Insulin
4. ✘ Steroid

**Question Number : 85 Question Id : 59345212332 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Northern blot is used for diagnosis of :

**Options :**

1. ✔ mRNA expression
2. ✘ Protein
3. ✘ DNA
4. ✘ tRNA

**Question Number : 86 Question Id : 59345212333 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which one of the following is not a method of protein purification ?

**Options :**

1. ✘ Electrophoresis
2. ✔ Densitometry
3. ✘ Salting out
4. ✘ Chromatography

**Question Number : 87 Question Id : 59345212334 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Biotin is used in :

**Options :**

1. ✘ Beta ketoacid dehydrogenase deficiency
2. ✘ HMG-Co reductase deficiency
3. ✔ Multiple carboxylase deficiency
4. ✘ Factor VII deficiency

**Question Number : 88 Question Id : 59345212335 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Clotting factor present in both plasma and serum is :

**Options :**

1. ✘ Factor VIII
2. ✘ Factor V
3. ✘ Thrombin
4. ✔ Factor VII

**Question Number : 89 Question Id : 59345212336 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A granular endoplasmic reticulum involved in the synthesis of :

**Options :**

1. ✘ Vitamin
2. ✔ Protein
3. ✔ Lipid

#### 4. ✘ Carbohydrate

**Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.**

**Question Number : 90 Question Id : 59345212337 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Genetic screening of patient makes the drug treatment :

**Options :**

1. ✘ More uncertain

2. ✘ More symptoms oriented

3. ✘ Less expensive

4. ✔ Predictable and rational therapeutics

**Question Number : 91 Question Id : 59345212338 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Lyophilization is a process used in :

**Options :**



1. ✘ Crystallization
2. ✔ Drying
3. ✘ Filtration
4. ✘ Extraction

**Question Number : 92 Question Id : 59345212339 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

mRNA based silencing of genes is a type of :

**Options :**

1. ✘ Transcription gene silencing
2. ✘ Translation gene silencing
3. ✔ Post transcription gene silencing
4. ✘ Post translation gene silencing

**Question Number : 93 Question Id : 59345212340 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following is not directly associated with regulation of eukaryotic gene expression ?

**Options :**

1. ✘ Acetylation of histones
2. ✘ Alternative splicing
3. ✘ Methylation of DNA
4. ✔ Activation of caspases

**Question Number : 94 Question Id : 59345212341 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Choose the right combination of components required to set up a polymerase chain reaction from the following :

**Options :**

1. ✘ Template DNA, two primers, dNTPs and DNA ligase
2. ✘ Template RNA, two primers, NTPs and DNA polymerase
3. ✘ Template DNA, two primers, NTPs and DNA ligase
4. ✔ Template DNA, two primers, dNTPs and DNA polymerase

**Question Number : 95 Question Id : 59345212342 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

What is genomic library ?

**Options :**

- 1. ✘ A collection of recombinant molecules with inserts that contain all of the genes of the organism
- 2. ✘ A collection of recombinant molecules that express all of the genes of an organism
- 3. ✔ A collection of recombinant molecules with inserts that contain all of an organism's genome
- 4. ✘ A collection of recombinant molecules that have been sequenced

**Question Number : 96 Question Id : 59345212343 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Bioequivalence of formulations most refers to :

**Options :**

- 1. ✘ Content of active ingredient
- 2. ✘ Solubility of active ingredient

3. ✓ Absorption of active ingredient

4. ✘ Volume of dosage

**Question Number : 97 Question Id : 59345212344 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Slow acetylator phenotype is more prevalent in :

Options :

1. ✘ American whites

2. ✓ Asians

3. ✘ North Europeans

4. ✘ Prevalence is similar

**Question Number : 98 Question Id : 59345212345 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Criteria for valid information through experiments in medicine were suggested by :

Options :

1. ✘ Celsus

2. ✘ Willium Harvey

3. ✘ Paracelsus

4. ✔ Clande Bernard

**Question Number : 99 Question Id : 59345212346 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Elderly is prone to neurotoxicity primarily due to :

**Options :**

1. ✘ Altered pharmacokinetics

2. ✘ Loss of homeostatic balance

3. ✔ Receptor super sensitivity

4. ✘ Receptor down regulation

**Question Number : 100 Question Id : 59345212347 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Plain Ame's mutagen test helps to predict :

**Options :**

1. ✘ Promoter carcinogen

2. ✘ Procarcinogen

3. ✔ Primary carcinogen

4. ✘ Secondary carcinogen