

Banaras Hindu University

Notations :

- 1.Options shown in green color and with ✓ icon are correct.
- 2.Options shown in red color and with ✗ icon are incorrect.

Question Paper Name :	973 16th Mar 2022 Shift 2
Subject Name :	973
Creation Date :	2022-03-16 15:51:38
Duration :	120
Total Marks :	300
Display Marks:	Yes
Share Answer Key With Delivery Engine :	Yes
Actual Answer Key :	Yes
Calculator :	None
Magnifying Glass Required? :	No
Ruler Required? :	No
Eraser Required? :	No
Scratch Pad Required? :	No
Rough Sketch/Notepad Required? :	No
Protractor Required? :	No
Show Watermark on Console? :	Yes
Highlighter :	No
Auto Save on Console?	No
Change Font Color :	No
Change Background Color :	No
Change Theme :	No
Help Button :	No
Show Reports :	No
Show Progress Bar :	No

RET_Veterinary Public Health and Epidemiology

Group Number :	1
Group Id :	509398189
Group Maximum Duration :	0
Group Minimum Duration :	120
Show Attended Group? :	No
Edit Attended Group? :	No
Break time :	0
Group Marks :	300
Is this Group for Examiner? :	No
Examiner permission :	Cant View
Show Progress Bar? :	No

Research_Methodology

Section Id :	509398316
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	40
Number of Questions to be attempted :	40
Section Marks :	120
Enable Mark as Answered Mark for Review and Clear Response :	Yes
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	509398343
Question Shuffling Allowed :	Yes

Question Number : 1 Question Id : 50939821123 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In which of the following research designs hypothesis is *not* necessarily required ?

निम्न शोध प्रारूपों में से किसमें परिकल्पना की आवश्यकता *नहीं* होती है ?

Options :

1. ✘ Descriptive
विवरणात्मक
2. ✘ Experimental
प्रयोगात्मक
3. ✘ Diagnostic
निदानात्मक
4. ✔ Exploratory
अन्वेषणात्मक

Question Number : 2 Question Id : 50939821124 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which sequence of research steps is logical in the list given below ?

निम्नांकित में अनुसंधान चरणों का कौन-सा क्रम तार्किक है ?

Options :

1. ✘ Problem formulation, Analysis, Development of research design, Hypothesis making, Collection of data, Arriving at generalizations and conclusions
समस्या स्थापन, विश्लेषण, अभिकल्प का विकास, परिकल्पना निर्माण, समंक एकत्रीकरण, सामान्यीकरण और निष्कर्ष निरूपण

Development of research design, Hypothesis making, Problem formulation, Data Analysis, Arriving at conclusions and data collection

शोध अभिकल्प का विकास, परिकल्पना निर्माण, समस्या स्थापन, समंक विश्लेषण,

2. ✖ निष्कर्ष निरूपण एवं समंक एकत्रीकरण

Problem formulation, Hypothesis making, Development of a research design, Collection of data, Data Analysis and Formulation of generalizations and conclusions

समस्या स्थापन, परिकल्पना निर्माण, शोध अभिकल्प का विकास, समंक

3. ✔ एकत्रीकरण, समंक विश्लेषण, सामान्यीकरण तथा निष्कर्ष निरूपण

Problem formulation, Deciding about the sample and data collection tools, Formulation of hypothesis, Collection and interpretation of research evidence.

समस्या स्थापन, प्रतिदर्श तथा समंक एकत्रीकरण उपकरणों के बारे में निर्णय

4. ✖ करना, परिकल्पना निर्माण, शोध साक्ष्य का संकलन एवं निर्वचन

Question Number : 3 Question Id : 50939821125 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is called non-probability sampling ?

निम्न में से किसे गैर-संभाव्यता प्रतिदर्शन कहा जाता है ?

Options :

Quota sampling

1. ✔ कोटा प्रतिदर्शन

Cluster sampling

2. ✖ गुच्छ प्रतिदर्शन

3. ✖ Systematic sampling
व्यवस्थित प्रतिदर्शन

4. ✖ Stratified random sampling
स्तरित संभाव्य प्रतिदर्शन

Question Number : 4 Question Id : 50939821126 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

During which stage of research coding is essential ?

शोध के किस चरण के दौरान कूट संकेतन आवश्यक है ?

Options :

1. ✖ Before drawing a sample
प्रतिदर्श प्राप्त करने से पहले

2. ✖ Before collecting data
आँकड़ों के संग्रहण से पहले

3. ✔ After cleaning of collected data
संग्रहित आँकड़ों के सफाई के बाद

4. ✖ After tabulation of data
आँकड़ों के तालिकाकरण के बाद

Question Number : 5 Question Id : 50939821127 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Under which of the following situations, Chi-square test is applicable ?

निम्नलिखित में से किस स्थिति में काई-वर्ग परीक्षण लागू होता है ?

- (A) Test of homogeneity
एकरूपता परीक्षण
- (B) Test of goodness of fit
समंजन उत्तमता (गुडनेस ऑफ फिट) परीक्षण
- (C) Test of equality of two sample means
दो प्रतिदर्श माध्यों की समानता का परीक्षण
- (D) Test of independence of attributes
गुणों की स्वतंत्रता का परीक्षण

Choose the most appropriate alternative from the options given below :

नीचे दिये गये विकल्पों में से सबसे उपयुक्त विकल्प का चुनाव कीजिए :

Options :

- 1. ✘ (A), (B)
- 2. ✔ (A), (B), (D)
- 3. ✘ (B), (C), (D)
- 4. ✘ (C), (D)

Question Number : 6 Question Id : 50939821128 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On

Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which scale is the simplest form of measurement ?

माप का सबसे सरल रूप कौन-सा पैमाना है ?

Options :

- 1. ✓ Nominal
सांकेतिक
- 2. ✗ Ordinal
क्रमवार
- 3. ✗ Interval
अन्तराल
- 4. ✗ Ratio
अनुपात

Question Number : 7 Question Id : 50939821129 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On

Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following correlational value is the strongest ?

निम्नलिखित में से कौन-सा सहसम्बन्ध मूल्य सबसे मजबूत है ?

Options :

- 1. ✗ +0.10

2. ✘ -0.95

3. ✘ +0.90

4. ✔ -1.00

Question Number : 8 Question Id : 50939821130 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Cronbach alpha is a measure of :

क्रोनबैच अल्फा किसका माप है :

Options :

1. ✘ Validity
वैधता

2. ✔ Reliability
विश्वसनीयता

3. ✘ Sensitivity
संवेदनशीलता

4. ✘ Normality
सामान्यता

Question Number : 9 Question Id : 50939821131 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following statements is *true* about qualitative research ?

गुणात्मक अनुसंधान के बारे में कौन-सा कथन *सत्य* है ?

Options :

- It's purpose is generalization
- 1. ✖ इसका उद्देश्य सामान्यीकरण करना है
- Very big sample size
- 2. ✖ प्रतिदर्श बहुत बड़ा आकार
- In-depth study of a phenomenon
- 3. ✔ किसी घटना का बहुत गहराई से अध्ययन
- Use of standardized scales
- 4. ✖ मानकीकृत मापनियों का प्रयोग

Question Number : 10 Question Id : 50939821132 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Standard error of Mean is :

मध्यमान की मानक त्रुटि है :

Options :

- Mean of standard deviation of sampling distribution
- 1. ✖ प्रतिचयन वितरण के मानक विचलन का मध्यमान

Standard deviation of sampling distribution of mean
2. ✓ मध्यमान के प्रतिचयन वितरण का मानक विचलन

Mean of all standard deviations from population
3. ✘ जनसंख्या से सभी मानक विचलनों का मध्यमान

Error in standard deviation of the sample
4. ✘ प्रतिदर्श के मानक विचलन में त्रुटि

Question Number : 11 Question Id : 50939821133 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Variables which influence the experiment but are uncontrollable, are examples of :

चर जो प्रयोग को प्रभावित करते हैं, लेकिन अनियंत्रित होते हैं, इसका एक उदाहरण है :

Options :

Dependent variables
1. ✘ आश्रित चर

Independent variables
2. ✘ स्वतंत्र चर

Intervening variables
3. ✓ हस्तक्षेपी चर

Extraneous variables

4. ✖ बाह्य चर

Question Number : 12 Question Id : 50939821134 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Internal validity refers to :

‘आंतरिक वैधता’ इंगित करता है :

Options :

Result can be verified in control conditions.

1. ✔ परिणाम नियंत्रित स्थितियों में सत्यापित किया जा सकता है।

Whether the findings are relevant to the participants' everyday lives ?

2. ✖ क्या निष्कर्ष प्रतिभागियों के दैनिक जीवन के लिए प्रासंगिक हैं ?

The degree to which the researcher feels that this was a worthwhile project.

3. ✖ जिस हद तक शोधकर्ता को लगता है कि यह एक सार्थक परियोजना थी।

How accurately the measurements represent underlying concepts ?

4. ✖ माप कितना सटीक रूप से अंतर्निहित अवधारणाओं का प्रतिनिधित्व करते हैं ?

Question Number : 13 Question Id : 50939821135 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one of these is *not* normally associated with quantitative data ?

इनमें से कौन-सा सामान्य रूप से मात्रात्मक आँकड़ों से सम्बन्धित *नहीं* है ?

Options :

- Analysis begins as data are collected
1. ✖ आँकड़ों के संकलन के साथ ही विश्लेषण प्रारम्भ होता है
- Numbers
2. ✖ संख्यायें
- Researcher's views are of high importance
3. ✔ शोधकर्ताओं का दृष्टिकोण का अधिक महत्त्व होता है
- Analysis guided by standardized rules
4. ✖ मानकीकृत नियमों द्वारा निर्देशित विश्लेषण

Question Number : 14 Question Id : 50939821136 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of these should be most valuable to show a gradual change in behaviour over time ?

समय के साथ व्यवहार में क्रमिक परिवर्तन दिखाने के लिए इनमें से कौन-सा सबसे अधिक महत्त्वपूर्ण होना चाहिए ?

Options :

- Extrapolations
1. ✖ बहिर्वेशन

2. ✓ Longitudinal studies
दीर्घकालिक अध्ययन

3. ✘ Snapshot surveys
आशुचित्र सर्वेक्षण

4. ✘ Experimental studies
प्रायोगिक अध्ययन

Question Number : 15 Question Id : 50939821137 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

An advantage of open-ended questions is that :
मुक्त प्रश्नों (ओपन एंडेड) का एक लाभ यह है कि :

Options :

1. ✘ They can also be used in topic guides
इनका उपयोग विषय गाइड में किया जा सकता है

2. ✓ Respondents can express themselves freely
उत्तरदाता स्वयं को स्वतंत्र रूप से व्यक्त कर सकते हैं

3. ✘ Coding is a challenge
कोडिंग एक चुनौती है

4. ✘ Potential is high for interviewer bias
साक्षात्कारकर्ता पूर्वाग्रह के लिए संभावना अधिक है

Question Number : 16 Question Id : 50939821138 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

What is the purpose of the conclusion in a research report ?

एक शोध प्रतिवेदन में निष्कर्ष का उद्देश्य क्या है ?

Options :

It explains how concepts were operationally defined and measured

यह बताता है कि कैसे अवधारणाओं को परिचालन रूप से परिभाषित और मापा गया था

1. ✘

It contains a useful review of the relevant literature

इसमें प्रासंगिक साहित्य की उपयोगी समीक्षा शामिल है

2. ✘

It outlines the methodological procedure that were employed

यह नियोजित पद्धति प्रक्रियाओं की रूपरेखा तैयार करता है

3. ✘

It summarizes the key findings in relation to the research questions

यह शोध प्रश्नों के संबंध में प्रमुख निष्कर्षों का सार प्रस्तुत करता है

4. ✔

Question Number : 17 Question Id : 50939821139 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following statement is *true* for research ?

निम्नलिखित में से कौन-सा कथन अनुसंधान के लिए *सही* है ?

Options :

Pilot study is conducted on a larger segment of the research.

1. ✖ पायलट अध्ययन अनुसंधान के लिए विस्तृत खंड पर आयोजित किया जाता है।

Causal research is not scientific in nature.

2. ✖ कारणीय शोध वैज्ञानिक प्रकृति का नहीं होता है।

Research is often referred to as scientific inquiry.

3. ✔ अनुसंधान को अक्सर वैज्ञानिक अन्वेषण के रूप में संदर्भित किया जाता है।

The sample selected for research need not represent the universe.

4. ✖ अनुसंधान के लिए चयनित निदर्श समष्टि का प्रतिनिधित्व करे यह आवश्यक नहीं होता।

Question Number : 18 Question Id : 50939821140 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A researcher has obtained a set of data in a sample of 14 subjects 4, 13, 5, 7, 22, 16, 8, 10, 12, 16, 15, 14, 9, 8, find out the median :

एक शोधकर्ता ने 14 विषयों में 4, 13, 5, 7, 22, 16, 8, 10, 12, 16, 15, 14, 9, 8, के नमूने में आँकड़े का एक सेट प्राप्त किया है, माध्यिका ज्ञात कीजिए :

Options :

1. ✔ 11

2. ✖ 10

3. ✖ 12

Question Number : 19 Question Id : 50939821141 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A researcher wants to find out that how many persons have used Ayush decoction to enhance the immunity during Covid-19 pandemic in the year 2020-21. Which kind of study design is best for researcher to follow ?

एक शोधकर्ता यह पता लगाना चाहता है कि वर्ष 2020-21 के दौरान किसी दिए गए क्षेत्र में कोविड-19 महामारी के दौरान प्रतिरक्षा बढ़ाने के लिए कितने व्यक्तियों ने आयुष काढ़े का उपयोग किया है। शोधकर्ता के अनुसरण के लिए किस प्रकार का शोध प्रारूप सर्वोत्तम है ?

Options :

1. ✓ Cross-sectional survey
क्रॉस-सेक्शनल सर्वे
2. ✖ Case-control study
केस-कंट्रोल स्टडी
3. ✖ Randomized controlled trial
यादृच्छिक नियंत्रित परीक्षण
4. ✖ Case reports and series
केस रिपोर्ट और सीरीज

Question Number : 20 Question Id : 50939821142 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Cohort Study is a type of :

कोहोर्ट स्टडी निम्नलिखित का एक प्रकार है :

Options :

1. ✘ Case report
केस रिपोर्ट
2. ✘ Cross-sectional study
क्रॉस-अनुभागीय अध्ययन
3. ✔ Longitudinal study
अनुदैर्घ्य अध्ययन
4. ✘ Randomized control trial
यादृच्छिक नियंत्रण परीक्षण

Question Number : 21 Question Id : 50939821143 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Mendeley is a tool for :

मेंडले निम्नलिखित का एक साधन है :

Options :

1. ✓ Reference management
संदर्भ प्रबंधन
2. ✘ Hypothesis evaluation
परिकल्पना मूल्यांकन
3. ✘ Measurement of central tendency
केंद्रीय प्रवृत्ति का मापन
4. ✘ Data analysis
आँकड़ा विश्लेषण

Question Number : 22 Question Id : 50939821144 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is a relative measure of dispersion when comparing variables which are measured in different units ?

विभिन्न इकाइयों में मापे जाने वाले चरों की तुलना करते समय निम्नलिखित में से कौन-सा विषमता का एक सापेक्ष माप है ?

Options :

1. ✓ Coefficient of variation
विचरण गुणांक
2. ✘ Standard error of mean
माध्य की मानक त्रुटि

3. ✖ Interquartile range
अन्तःचतुर्थक विस्तार

4. ✖ Standard deviation
मानक विचलन

Question Number : 23 Question Id : 50939821145 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Impact factor of a journal means :

एक जर्नल के प्रभाव कारक का अर्थ है :

Options :

1. ✖ The number of publications of a journal in the past three years
पिछले तीन वर्षों में एक पत्रिका के प्रकाशनों की संख्या

2. ✔ Measure of the frequency with which the average article in a journal has been cited in a particular time period
आवृत्ति की माप जिसके साथ किसी पत्रिका में औसत लेख को एक विशेष समय अवधि में उद्धृत किया गया है

3. ✖ Indexing code of the journal
जर्नल का अनुक्रमण कोड

4. ✖ Publication fees of the journal
पत्रिका का प्रकाशन शुल्क

Question Number : 24 Question Id : 50939821146 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In a study to assess dental pain, patients were asked to rate pain experience as no pain, mild pain, moderate pain and severe pain. What type of variable is it ?

दांतों के दर्द का आकलन करने के लिए एक अध्ययन में, रोगियों को दर्द के अनुभव को बिना दर्द, हल्का दर्द, मध्यम दर्द और गंभीर दर्द के रूप में रेट करने के लिए कहा गया था। यह किस प्रकार का चर है ?

Options :

- 1. ✘ Nominal
नामित
- 2. ✔ Ordinal
क्रमिक
- 3. ✘ Ratio
अनुपातिक
- 4. ✘ Interval
अंतराल

Question Number : 25 Question Id : 50939821147 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is the best method of ensuring that the experimental and control arms in an experimental study are similar with regard to known and unknown confounders at the planning stage ?

निम्नलिखित में से कौन-सा यह सुनिश्चित करने का सबसे अच्छा तरीका है कि प्रायोगिक अध्ययन में प्रायोगिक और नियंत्रण समूह नियोजन स्तर पर ज्ञात और अज्ञात संकरण के संबंध में समान है :

Options :

- 1. ✘ Blinding
अंधा करना
- 2. ✘ Allocation concealment
आवंटन छिपाना
- 3. ✔ Randomization
यादृच्छिककरण
- 4. ✘ Matching
सुमेलन

Question Number : 26 Question Id : 50939821148 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Any process that tends to produce results that depart systematically from true values in a research study is called –

कोई भी प्रक्रिया जो ऐसे परिणाम उत्पन्न करती है जो एक शोध अध्ययन में सही मूल्यों से व्यवस्थित रूप से प्रस्थान करते हैं, कहलाती है –

Options :

- Chance
1. ✘ मौका
- Bias
2. ✔ पूर्वाग्रह
- Random error
3. ✘ यादृच्छिक त्रुटि
- Effect modification
4. ✘ प्रभाव संशोधन

Question Number : 27 Question Id : 50939821149 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

When the study finding is generalizable to the target population, then it is :

जब अध्ययन का निष्कर्ष लक्षित जनसंख्या के लिए सामान्यीकृत होता है, तो यह है :

Options :

- Internal validity
1. ✘ आंतरिक वैधता
- Reliability
2. ✘ विश्वसनीयता
- Accuracy
3. ✘ सटीकता

External validity

4. ✓ बाहरी वैधता

Question Number : 28 Question Id : 50939821150 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If the shape of a frequency distribution is lopsided, with a long tail projecting longer to the left than to the right, how would the distribution be skewed ?

यदि एक बारंबारता वंटन का आकार एकतरफा है, जिसमें एक लंबी पूंछ जो बाईं ओर की तुलना में बाईं ओर लंबी होती है, तो वितरण कैसे विषम होगा ?

Options :

normally

1. ✘ सामान्य

negatively

2. ✓ नकारात्मक

positively

3. ✘ सकारात्मक

nominally

4. ✘ नाममात्र

Question Number : 29 Question Id : 50939821151 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The problem of 'research ethics' is concerned with which aspect of research activities ?

शोध नैतिकता की समस्या का संबंध अनुसंधान गतिविधियों के किस पहलू से है ?

Options :

1. ✘ Following the prescribed format of a thesis
थीसिस के निर्धारित प्रारूप का पालन करना
2. ✘ Data analysis through qualitative or quantitative technique
गुणात्मक या मात्रात्मक तकनीकों के माध्यम से आँकड़ा विश्लेषण
3. ✘ Defining the population of research
अनुसंधान की जनसंख्या को परिभाषित करना
4. ✔ Evidence based research reporting
साक्ष्य आधारित शोध रिपोर्टिंग

Question Number : 30 Question Id : 50939821152 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one of the following variables is *not* categorical ?

निम्नलिखित में से कौन-सा चर श्रेणीबद्ध **नहीं** है ?

Options :

1. ✔ Age of a person
व्यक्ति की आयु

Gender of a person : male or female

2. ✘ किसी व्यक्ति का लिंग : पुरुष या महिला

Choice on a test item : true or false

3. ✘ परीक्षण आइटम का चुनाव : सही या गलत

Marital status of a person (single, married, divorced, other)

4. ✘ एक व्यक्ति की वैवाहिक स्थिति (एकल, विवाहित, तलाकशुद्धा, अन्य)

Question Number : 31 Question Id : 50939821153 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Plagiarism refers to :

साहित्यिक चोरी से तात्पर्य है :

Options :

Illegal duplication of print and electronic work

1. ✘ प्रिंट और इलेक्ट्रॉनिक कार्य का अवैध दोहराव

Converting data in survey and research reports

2. ✘ सर्वेक्षण और शोध रिपोर्ट में आँकड़ा परिवर्तित करना

Presenting ideas and expressions of others as your

3. ✔ दूसरों के विचारों और अभिव्यक्ति को अपने विचार और अभिव्यक्ति के रूप में प्रस्तुत करना

Making errors in paraphrasing or citations

4. ✖ व्याख्या या उद्धरणों में त्रुटियाँ करना

Question Number : 32 Question Id : 50939821154 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is an example of a secondary source of information ?

निम्न में से कौन सूचना के द्वितीयक स्रोत का उदाहरण है ?

Options :

1. ✖ Experiment
प्रयोग

2. ✖ Survey
सर्वेक्षण

3. ✔ Journal
जर्नल

4. ✖ Questionnaire
प्रश्नावली

Question Number : 33 Question Id : 50939821155 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which level of measurement scale is always having absolute zero ?

किस स्तर के मापन पैमान में हमेशा निरपेक्ष शून्य होता है ?

Options :

- 1. ✘ Nominal
नाममात्र
- 2. ✘ Ordinal
क्रमसूचक
- 3. ✔ Ratio
अनुपात
- 4. ✘ Interval
अंतराल

Question Number : 34 Question Id : 50939821156 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

As per UGC (Promotion of Academic Integrity and Prevention of Plagiarism in Higher Educational Institutions) Regulations (2017), the maximum allowable limit of similarity index of a PhD thesis with that of already available literature in that field is :

यूजीसी (उच्च शिक्षण संस्थानों में अकादमिक अखंडता को बढ़ावा देना और साहित्यिक चोरी की रोकथाम) विनियम, (2017) के अनुसार, पीएचडी की समानता सूचकांक की अधिकतम स्वीकार्य सीमा। उस क्षेत्र में पहले से उपलब्ध साहित्य के साथ थीसिस है :

Options :

20%
1. ✘ 20 प्रतिशत

15%
2. ✘ 15 प्रतिशत

10%
3. ✔ 10 प्रतिशत

25%
4. ✘ 25 प्रतिशत

Question Number : 35 Question Id : 50939821157 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A formal document that presents the research objectives, design of achieving these objectives and the expected outcomes of the study is called :

औपचारिक दस्तावेज जो शोध के उद्देश्य, उन उद्देश्यों को प्राप्त करने की रूपरेखा एवं अध्ययन के अपेक्षित परिणामों को प्रस्तुत करता है, कहलाता है :

Options :

Research design
1. ✘ शोध रूपरेखा

Research proposal
2. ✔ शोध प्रस्ताव

3. ✖ Research hypothesis
शोध परिकल्पना

4. ✖ Research report
शोध प्रतिवेदन

Question Number : 36 Question Id : 50939821158 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Through which of the following methods of research 'cause and effect' relationship is focused ?

निम्नलिखित में से शोध की किस पद्धति द्वारा 'कारण और प्रभाव' सम्बन्ध को केन्द्रित किया जाता है ?

Options :

1. ✖ Ex post facto method
एक्स पोस्ट (पूर्व व्यापी) फैक्टो पद्धति

2. ✖ Case study method
वैयक्तिक अध्ययन पद्धति

3. ✔ Experimental method
प्रायोगिक पद्धति

4. ✖ Historical method
ऐतिहासिक पद्धति

Question Number : 37 Question Id : 50939821159 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The degree of freedom for paired t -test based on n pairs of observation is :

n युग्मों के अवलोकन पर आधारित युग्मित t -टेस्ट के लिए स्वतंत्रता की कोटि है :

Options :

1. ✘ $2n - 1$

2. ✘ $n - 2$

3. ✘ $2(n - 1)$

4. ✔ $n - 1$

Question Number : 38 Question Id : 50939821160 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following search engine is exclusively meant for scientific information ?

निम्नलिखित में से कौन-सा सर्च इंजन विशिष्टतया वैज्ञानिक सूचनाओं से सम्बन्धित है ?

Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.

Options :

1. Google
गूगल

2. Scirus
साइरस

3. Yahoo
याहू

4. Altavista
एल्टाविस्टा

Question Number : 39 Question Id : 50939821161 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1


Question Label : Multiple Choice Question

Study the following graph and answer the question.

रेखाचित्र का अध्ययन करें और प्रश्न का उत्तर दीजिये।

Number of Girls and Boys participating in a Rally from Five Different Schools :

पाँच अलग-अलग स्कूलों से रैली में भाग लेने वाली लड़कियाँ और लड़कों की संख्या है :



What is the total number of boys participating in the rally from schools A and C together ?

स्कूल A और C से मिलाकर रैली में भाग लेने वाले लड़कों की कुल संख्या कितनी है ?

Options :

1. ✖ 975

2. ✖ 925

3. ✓ 1025

4. ✘ 1000

**Question Number : 40 Question Id : 50939821162 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On
Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No**

Correct Marks : 3 Wrong Marks : 1


Question Label : Multiple Choice Question

Study the following graph and answer the question.

रेखाचित्र का अध्ययन करें और प्रश्न का उत्तर दीजिये।

Number of Girls and Boys participating in a Rally from Five Different Schools :

पाँच अलग-अलग स्कूलों से रैली में भाग लेने वाली लड़कियाँ और लड़कों की संख्या है :



What is the average number of girls participating in the rally from all the schools together ?

सभी स्कूलों से मिलाकर रैली में भाग लेने वाली लड़कियों की औसत संख्या कितनी है ?

Options :

1. ✖ 500

2. ✖ 480

3. ✓ 505

4. ✘ 520

Subject_&_Area Concerned

Section Id :	509398317
Section Number :	2
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	60
Number of Questions to be attempted :	60
Section Marks :	180
Enable Mark as Answered Mark for Review and Clear Response :	Yes
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	509398344
Question Shuffling Allowed :	Yes

Question Number : 41 Question Id : 50939821163 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No Correct Marks : 3 Wrong Marks : 1 Question Label : Multiple Choice Question

Rabies virus can survive in brain tissues at room temperature for period of :

Options :

1. ✓ 1-2 weeks

2. ✘ 1-3 months
3. ✘ 1-2 days
4. ✘ 1-2 hours

Question Number : 42 Question Id : 50939821164 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

For preparation of Fraction-I antigen from *Yersinia pestis*, the culture should be incubated at :

Options :

1. ✘ 28°C
2. ✔ 37°C
3. ✘ 25°C
4. ✘ 42°C

Question Number : 43 Question Id : 50939821165 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Sabin Feldman dye test primarily measures :

Options :

1. ✓ Ig-G antibodies
2. ✘ Ig-M antibodies
3. ✘ Complement system
4. ✘ Cellular immunity

Question Number : 44 Question Id : 50939821166 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Toxic shock syndrome toxin-I is produced by :

Options :

1. ✘ *Streptococcus pyogenes*
2. ✘ *Clostridium perfringens*
3. ✓ *Staphylococcus aureus*

4. ✘ *Bacillus anthracis*

Question Number : 45 Question Id : 50939821167 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The WTO recognized international reference point for the resolution of disputes regarding food safety and consumer protection :

Options :

1. ✘ Food and Agriculture Organization of the United Nations
2. ✘ World Health Organization
3. ✘ United States Food and Drug Administration
4. ✔ Codex Alimentarius Commission

Question Number : 46 Question Id : 50939821168 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The BCG vaccine was prepared from :

Options :

1. ✘ Killed strain of *Mycobacterium bovis*
2. ✘ Attenuated strain of *Mycobacterium tuberculosis*
3. ✔ Attenuated strain of *Mycobacterium bovis*
4. ✘ Killed strain of *Mycobacterium tuberculosis*

Question Number : 47 Question Id : 50939821169 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The Sterne spore vaccine strain-34F2 of *Bacillus anthracis* lacks :

Options :

1. ✘ pXO1
2. ✔ pXO2
3. ✘ Chromosome
4. ✘ pXO1 and pXO2

Question Number : 48 Question Id : 50939821170 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Highly pathogenic Avian influenza shows intravenous pathogenic index greater than :

Options :

1. ✓ 1.2

2. ✘ 2.1

3. ✘ 3.2

4. ✘ 2.3

Question Number : 49 Question Id : 50939821171 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

CAMP factor which is a pore forming toxin produced by ?

Options :

1. ✓ *Streptococcus agalactiae*

2. ✘ *Staphylococcus aureus*

3. ✘ *Clostridium perfringens*

4. ✘ *Salmonella Typhimurium*

Question Number : 50 Question Id : 50939821172 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The method of control measure applied in outbreak of H5N1 in poultry is :

Options :

1. ✘ Treatment of affected birds

2. ✘ Test and culling method

3. ✘ Vaccination

4. ✔ Depopulation

Question Number : 51 Question Id : 50939821173 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following *Brucella* species is the most pathogenic to humans ?

Options :

1. ✘ *B. abortus*
2. ✘ *B. suis*
3. ✔ *B. melitensis*
4. ✘ *B. canis*

Question Number : 52 Question Id : 50939821174 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Fish tank granuloma is caused by :

Options :

1. ✘ *Staphylococcus*
2. ✘ *Yersinia*
3. ✔ *Mycobacterium*

4. ✖ *Streptococcus*

Question Number : 53 Question Id : 50939821175 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

July 6th is celebrated as World Zoonoses Day, because :

Options :

1. ✖ It is Edward Jenner's birth anniversary
2. ✖ It is Louis Pasteur's death anniversary
3. ✖ It is Louis Pasteur's birth anniversary
4. ✔ Louis Pasteur administered the first vaccine against Rabies virus

Question Number : 54 Question Id : 50939821176 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which statement is **true** for *Brucella* vaccine ?

Options :

1. ✖ *B. abortus* 45/20 is a live vaccine

2. ✘ *B. abortus strain-99* used for vaccine production
3. ✘ RB51 is killed *Brucella* vaccine
4. ✔ RB51 vaccine strain is resistant to Rifampin antibiotic

Question Number : 55 Question Id : 50939821177 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Minutes required to kill a known population of microorganisms in a given food under specified conditions is :

Options :

1. ✘ D-value
2. ✘ Z-value
3. ✔ F-value
4. ✘ Thermal Death Time

Question Number : 56 Question Id : 50939821178 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Covishield vaccine is prepared from :

Options :

1. ✓ Inactivated Adenovirus with segments of Coronavirus
2. ✗ Inactivated Coronavirus with segments of Adenovirus
3. ✗ Attenuated Adenovirus with segments of Coronavirus
4. ✗ Attenuated Coronavirus with segments of Adenovirus

Question Number : 57 Question Id : 50939821179 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Shiga toxin producing *E. coli* is differentiated from the other enteric *E. coli* by :

Options :

1. ✓ Ferment lactose but not sorbitol and MUG negative
2. ✗ Ferment lactose but not sorbitol and MUG positive

3. ✖ Ferment both lactose & sorbitol and MUG negative

4. ✖ Ferment sorbitol but not lactose and MUG positive

Question Number : 58 Question Id : 50939821180 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Barking pig syndrome is a synonym for :

Options :

1. ✔ Nipah viral disease in pigs

2. ✖ Rabies in pigs

3. ✖ Japanese Encephalitis in pigs

4. ✖ Pseudo rabies in pigs

Question Number : 59 Question Id : 50939821181 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Indian tick typhus is caused by :

Options :

1. ✘ *Rickettsia felis*
2. ✔ *Rickettsia conori*
3. ✘ *Rickettsia akari*
4. ✘ *Rickettsia typhi*

Question Number : 60 Question Id : 50939821182 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Artificial digestion technique is recommended for diagnosis of :

Options :

1. ✘ Echinococcosis
2. ✘ Cysticercosis
3. ✘ Fasciolosis

4. ✓ Trichinosis

Question Number : 61 Question Id : 50939821183 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Jock itch is the ringworm infection of the following region :

Options :

1. ✘ Nail

2. ✘ Scalp

3. ✘ Hand

4. ✓ Groin

Question Number : 62 Question Id : 50939821184 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The diagnostic stage of *Leishmania* present in the host is :

Options :

1. ✘ Epimastigotes

2. ✘ Promastigotes

3. ✔ Amastigotes

4. ✘ Cercaria

Question Number : 63 Question Id : 50939821185 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The category of dog bite for which rabies vaccination is **not** required :

Options :

1. ✔ Category-I

2. ✘ Category-II

3. ✘ Category-IV

4. ✘ Category-III

Question Number : 64 Question Id : 50939821186 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Limulus Amoebocyte Lysate test used for detection of :

Options :

1. ✘ Exotoxin
2. ✘ Aflatoxins
3. ✘ Ochratoxin A
4. ✔ Endotoxin

Question Number : 65 Question Id : 50939821187 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Scombroid fish poisoning is associated with :

Options :

1. ✘ Saxitoxin
2. ✘ Ciguatera toxin
3. ✔ Histamine

4. ✘ Domoic acid

Question Number : 66 Question Id : 50939821188 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The term cold sterilization is used for preservation of meat by application of :

Options :

1. ✘ Salt

2. ✔ Radiation

3. ✘ Smoke

4. ✘ Heat

Question Number : 67 Question Id : 50939821189 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Absence of Negri bodies in rabies suspected case indicates :

Options :

1. ✘ Absence of rabies
2. ✘ Asymptomatic infection
3. ✘ Carrier form of rabies
4. ✔ Cannot rule out the absence of rabies

Question Number : 68 Question Id : 50939821190 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A maximum and/or minimum value to which a biological, chemical or physical parameter must be controlled at a CCP to prevent, eliminate or reduce to an acceptable level the occurrence of a food safety hazard is :

Options :

1. ✔ Critical limit
2. ✘ Critical control point
3. ✘ Control measure
4. ✘ Corrective action

Question Number : 69 Question Id : 50939821191 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The vaccine strain of Japanese encephalitis is :

Options :

1. ✘ S-19
2. ✔ SA-14-14-2
3. ✘ 17-D
4. ✘ Pitman-Moore L503

Question Number : 70 Question Id : 50939821192 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Radappertization, which brings about sterility in meat, involves the application of radiation in the range of :

Options :

1. ✘ Less than 1 kGy

2. ✘ 1-2.5 kGy
3. ✘ 2.5-10 kGy
4. ✔ 30-40 kGy

Question Number : 71 Question Id : 50939821193 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Challicosis is caused due to inhalation of :

Options :

1. ✘ Silica dust
2. ✘ Silver dust
3. ✘ Charcoal dust
4. ✔ Cement dust

Question Number : 72 Question Id : 50939821194 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A result is called statistically significant when :

Options :

1. ✘ The null hypothesis is true
2. ✘ The alternate hypothesis is true
3. ✔ p value is less than or equal to significance level
4. ✘ p value is greater than the significance level

Question Number : 73 Question Id : 50939821195 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A study in which children are randomly assigned to receive either a newly formulated vaccine or the currently available vaccine and are followed to monitor for side effects and effectiveness of each vaccine, is an example of which type of study ?

Options :

1. ✘ Case control study
2. ✘ Cohort study

3. ✓ Experimental study

4. ✘ Observational study

Question Number : 74 Question Id : 50939821196 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following methods is used to collect atmospheric particles in liquid medium ?

Options :

1. ✘ Precipitation

2. ✓ Impingement

3. ✘ Compaction

4. ✘ Impaction

Question Number : 75 Question Id : 50939821197 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question


Suppose at 1 : 400 dilution of a test disinfectant ('X') results in microbial growth for an exposure time of 5 min, but not for 10 min in comparison to that of phenol at a dilution of 1 : 256. What is the phenol coefficient of 'X' ?

Options :

1. ✘ 1.56
2. ✔ 0.64
3. ✘ 0.156
4. ✘ 6.4

Question Number : 76 Question Id : 50939821198 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No Correct Marks : 3 Wrong Marks : 1 Question Label : Multiple Choice Question

Values of diagnostic tests for a particular disease are represented by dots in the following figures. What would be the interpretation ?



Options :

Fig. 1. Low precision, unbiased

Fig. 2. High precision, unbiased

Fig. 3. High precision, biased

Fig. 4. Low precision, biased

1. ✖

Fig. 1. High precision, unbiased

Fig. 2. Low precision, biased

Fig. 3. Low precision, unbiased

Fig. 4. High precision, biased

2. ✖

Fig. 1. Low precision, biased

Fig. 2. High precision, biased

Fig. 3. Low precision, unbiased

3. ✓ Fig. 4. High precision, unbiased

Fig. 1. Low precision, unbiased

Fig. 2. High precision, unbiased

Fig. 3. Low precision, biased

4. ✘ Fig. 4. High precision, unbiased

Question Number : 77 Question Id : 50939821199 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Epidemic curve is a type of :

Options :

1. ✘ Time-trend graph

2. ✘ Time line

3. ✘ Frequency polygon

4. ✓ Histogram

Question Number : 78 Question Id : 50939821200 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If the incidence of plague is reduced to zero in a particular geographical area due to deliberated efforts, then plague is said to be from that area :

Options :

1. ✘ Controlled

2. ✓ Eliminated

3. ✘ Eradicated

4. ✘ Extinct

Question Number : 79 Question Id : 50939821201 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is disease forecasting system developed jointly by the WHO, FAO and OIE for prediction, prevention and control of animal diseases ?

Options :

1. ✓ GLEWS
2. ✗ WAHID
3. ✗ EMPRES-i
4. ✗ GOARN

Question Number : 80 Question Id : 50939821202 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The component cause that increases the level of susceptibility in a host is called as :

Options :

1. ✓ Predisposing factor
2. ✗ Enabling factor
3. ✗ Precipitating factor

4. ✘ Reinforcing factor

Question Number : 81 Question Id : 50939821203 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Given below are some statements. Which of these are **correct** ?

- I. Ozone has a strong residual effect as a disinfectant.
- II. Perchloron contains more available chlorine than bleaching powder, but it is less stable than bleaching powder.
- III. UV rays are effective against most of the viruses.
- IV. Sodium hypochlorite is most commonly used as disinfectant in hospitals and laboratories handling with COVID-19 patients and their samples.

Options :

- 1. ✘ II, III and IV only
- 2. ✘ All I, II, III and IV
- 3. ✘ I, III and IV only
- 4. ✔ III and IV only

Question Number : 82 Question Id : 50939821204 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Suppose, in a festival, rice puddings were served to people. Within a few hours of consumption, a lot of people started exhibiting symptoms of nausea, vomiting, abdominal cramping and severe diarrhea. The case was investigated and an act of bioterrorism could not be ruled out. As a specialist, which of the following categories you will put into the suspected etiology in this case :

Options :

1. ✘ Category A
2. ✘ Category A+
3. ✔ Category B
4. ✘ Category C

Question Number : 83 Question Id : 50939821205 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

If two similar populations have the same density-dependent structure, then their sizes over these areas may be synchronized, this is known as :

Options :

1. ✘ Chapman effect
2. ✘ Koppen effect
3. ✘ Wynne-Edwards effect
4. ✔ Moran effect

Question Number : 84 Question Id : 50939821206 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A geographical area which has ecological, social and environmental condition to support the perpetuation of a disease is known as :

Options :

1. ✘ Nidus
2. ✘ Nosoarea

3. ✓ Nosogenic territory

4. ✘ Ecological mosaic

Question Number : 85 Question Id : 50939821207 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A study was conducted over a period of 12 months to determine the mortality of cows in a village which has a total 100 cows at the beginning of the study. It was observed that 5 cows died after 2 months, 2 cows died after 5 months and 3 cows died after 8 months. The incidence rate of cow mortality in the village is :

Options :

1. ✓ 0.009 per animal month

2. ✘ 0.1 per animal month

3. ✘ 0.008 per animal month

4. ✘ 0.01 per animal month

Question Number : 86 Question Id : 50939821208 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The crude mortality rate in Community A was higher than the crude mortality rate in Community B, but the age-adjusted mortality rate was higher in Community B than in Community A. This indicates :

Options :

1. ✘ Investigators made a calculation error.
2. ✘ No inferences can be made about the comparative age of the populations from these data.
3. ✔ The population of Community A is, on average, older than that of Community B.
4. ✘ The population of Community B is, on average, older than that of Community A.

Question Number : 87 Question Id : 50939821209 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Given below are some statements on diagnostic tests. Which of the statements are **not** correct ?

- I. If prevalence increases, the positive predictive value increases and negative predictive value decreases.
- II. The more specific a test, the better is the negative predictive value.
- III. The more sensitive a test, the better is the positive predictive value.
- IV. The Receiver Operating Characteristic (ROC) curve is prepared taking sensitivity and specificity of a diagnostic test in X and Y axis respectively.

Options :

- 1. ✘ I, III and IV only
- 2. ✔ II, III and IV only
- 3. ✘ I, II and IV only
- 4. ✘ I, II and III only

Question Number : 88 Question Id : 50939821210 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The relationship between biotic and abiotic component is called :

Options :

1. ✘ Biocoenosis
2. ✘ Biogeocoenosis
3. ✔ Holocoenosis
4. ✘ Biogeoholocoenosis

Question Number : 89 Question Id : 50939821211 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The minimum recommended concentration of free chlorine for 1-hr contact period after chlorination is :

Options :

1. ✘ 0.1 mg/L
2. ✘ 1 mg/L
3. ✔ 0.5 mg/L

4. ✘ 0.05 mg/L

Question Number : 90 Question Id : 50939821212 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The spring arising from geographical fault between two different strata is known as :

Options :

1. ✘ Fissure spring

2. ✔ Junction spring

3. ✘ Karst spring

4. ✘ Fracture spring

Question Number : 91 Question Id : 50939821213 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Likelihood ratio of a positive test can be represented by :

Options :

1. ✓ Sensitivity/(1-Specificity)
2. ✘ Specificity/(1-Sensitivity)
3. ✘ Sensitivity/(1-Sensitivity)
4. ✘ Specificity/(1-Specificity)

Question Number : 92 Question Id : 50939821214 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following method is most suitable to monitor the minor changes in a variable's value over a period of time ?

Options :

1. ✘ Box and Whisker plot
2. ✘ Shewhart chart
3. ✘ Scatter chart
4. ✓ Cusum chart

Question Number : 93 Question Id : 50939821215 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Examination of only clinically affected cases of the disease is an example of :

Options :

1. ✘ Active surveillance
2. ✔ Passive surveillance
3. ✘ Targeted surveillance
4. ✘ Sentinel surveillance

Question Number : 94 Question Id : 50939821216 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following statements are **not** correct ?

- I. Phylogenetically closely related animals are susceptible to infection by the same agent with same signs and symptoms.
- II. Phylogenetically closely related agents infect the same species of animals.
- III. Phase variation can occur at a very high frequency in *Bordetella pertusis*.
- IV. Antigenic drift, not shift was responsible for pandemic of influenza.

Options :

- 1. ✘ All I, II, III and IV
- 2. ✘ II and III only
- 3. ✘ III and IV only
- 4. ✔ I, II and IV only

Question Number : 95 Question Id : 50939821217 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is an example of propagative transmission ?

Options :

1. ✘ *Dirofilaria immitis* in mosquitoes
2. ✘ *Babesia spp.* in *Boophilus microplus*
3. ✘ Dengue virus in *Aedes aegyptii*
4. ✔ Louping-ill virus in ixodid ticks

Question Number : 96 Question Id : 50939821218 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Minimum density of susceptible animals required to allow a contact-transmitted epidemic to commence can be mathematically defined by :

Options :

1. ✘ Bayes' theorem
2. ✘ Kermack-McKendrick threshold theorem
3. ✔ Kendall's threshold theorem

4. ✖ Perron-Frobenius theorem

Question Number : 97 Question Id : 50939821219 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The Biodiversity Act was enacted in India in the year :

Options :

1. ✖ 2000

2. ✔ 2002

3. ✖ 2004

4. ✖ 2006

Question Number : 98 Question Id : 50939821220 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following colour coded non-chlorinated plastic bags are recommended for disposal of biomedical wastes arising out of microbiological or biotechnological laboratories as per Bio-Medical Waste Management Rules, 2016 ?

Options :

1. ✘ Red
2. ✘ Blue
3. ✔ Yellow
4. ✘ White

Question Number : 99 Question Id : 50939821221 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following Persistent Organic Pollutant (POP) intoxication has resulted in *Porphyria turcica* in humans ?

Options :

1. ✘ Polychlorinated biphenyls
2. ✘ α -Hexachlorocyclohexane

3. ✘ Polychlorinated dibenzofurans

4. ✔ Hexachlorobenzene

Question Number : 100 Question Id : 50939821222 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes Time interval to replay(In Seconds) : 0 Allow Volume Control : No

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The ratio of reoxygenation and deoxygenation coefficient is known as :

Options :

1. ✘ Biodegradability index

2. ✔ Self purification capacity

3. ✘ Biochemical Oxygen Demand

4. ✘ Oxidation potential